

#### **Sport nets and ropes**

for all ball games



RETAIL CATALOGUE NO. 57

2019/2020

Tel. (01308) 425 100

E-Mail sports@hucknetting.co.uk Web www.huck-net.co.uk

### New for 2019/2020



Safety Nets in Gray, see page 6.3 + 6.4



"Ultra" Football Goal Net, see page 1.1



Reduction for Handball and Junior Football Goals, see pages 1.14 and 2.6



Discus safety nets that conform to DIN 79007-3, see page 7.5



#### 20 years of HUCK U.K.

- ... means 20 years of entrepreneurial spirit and HUCK's focus on quality
- ... means 20 years of development in net technology
- ... means a good many professional careers.



Dear sport fans,

We are pleased to present the new HUCK sport nets catalogue no. 57.

We have revised the sections covering mini goal nets (section 1) and hammer throwing and discus throwing safety nets (section 7).

The mini goal nets are now covered by the newly-issued EN 16579 standard.

The minimum net height for hammer throwing and discus throwing facilities for competition should be 6 m.

As well as environmentally friendly nets from biodegradable PLA (polylactic acid) in Chapter 1, we also offer high-tenacity nets (SUPERCROSS) in braided knotless netting technology (Chapter 7), which are also available in ultra-high molecular weight polythene (UHMWPE) with high tensile strength.

A new product is the reduction in size for junior goals, so that the game can be adapted to suit the needs of smaller children and young people.

The extensive range of HUCK safety nets in knotless twisted braid technology offers a wide range of choice in material strengths, mesh sizes and colours, incl. now in grey (Chapter 6).

Our experienced sales team will be happy to advise you. Put your trust now in HUCK quality, with its track record.

With best wishes

Huck Nets (UK) LTD

#### Please note our Head Office direct telephone numbers:

**Switch Board** +44 (0)1308 425 100 **Fax** +44 (0)1308 458 109

**Board of Directors:** 

Stefan Huck Jon Legg-Bagg Ian Spencer Bernard Delbaere www.huck-net.co.uk

sports@hucknetting.co.uk

#### **Contents**

Football	1.1 – 1.16	"Ultra" football goal nets, Football goal nets with hexagonal mesh, Football goal nets with chequered pattern, Football goal nets, Football goal net optimised for cameras, HUCK ECO nets, Exclusive football goal nets, Close mesh football goal nets, Two-colour football goal nets in club colours, Junior football goal nets, Mini goal nets, Futsal goal nets, Goal height reducer for junior football, Ball carrier nets, Shooting target wall, Accessories for football goal nets
Handball   Hockey	2.1 – 2.8	Camera-optimised indoor handball goal net, Indoor handball goal nets with chequered pattern, Two-colour indoor handball goal nets in club colours, Indoor handball goal nets, Catch nets for handball goal nets, Height reducer for handball goals, Accessories for goal nets, Indoor hockey goal nets, Mini hockey goal nets, Field and roller hockey goal nets, Floorball goal net
Volleyball	3.1 – 3.6	Volleyball tournament nets approved by the German Volleyball Association, volleyball tournament nets conforming to international regulations, long volleyball nets, volleyball training nets, volleyball antennae, sit volleyball, volleyball net accessories
Badminton	4.1 – 4.3	Badminton tournament nets, badminton net sets, long badminton nets, badminton training nets, badminton net accessories, ball stop nets
Tennis	5.1 – 5.10	"Excalibur" and "Merlin" tennis nets, tennis net accessories, tennis court drag mats, tennis practice net, junior tennis nets, tennis court dividing nets, dividing nets in flame-retardant weave, indoor tennis court panelling, tennis court surrounds, printed advertising
Protection/Safety Nets	6.1 – 6.10	Product information, safety and stop nets, accessories for safety and stop nets, Universal barrier fencing, dividing and ceiling protection nets for gymnasiums, partition curtains for gymnasiums, play area safety nets, flame-retardant safety nets
Other Sports	7.1 – 7.14	Basketball Nets, Ice Hockey Goal Nets, Water Polo Goal Nets, Cycle Ball/Cycle Polo Goal Nets, Deck Tennis Nets, Indiaca Nets, Sand Pit Cover Tarpaulin, Hammer Throwing and Discus Cage Safety Nets, Ball Stop Nets/Training Tunnels for Cricket, Lacrosse and Baseball, Ball Stop Nets for Golf Courses, Golf Practice Net, Safety Nets for Squash Courts, Archery Safety Nets in braided knotless netting technology, "Heavy Duty" Goal Nets, Climbing Course Net
Ropes and Cords	8.1 – 8.8	Isilink cords, skipping ropes for gymnastics, skipping ropes, Double Dutch skipping ropes, neon skipping ropes, beaded jump ropes, tug of war ropes, balancing/circular rope, battle rope, climbing ropes, rope seat, gymnastic ring sets, lunge reins, fistball ropes, swing ball ropes, prellball bands, sitball cords, gymnastic cords
Beach & Fun	9.1 – 9.15	Beach volleyball tournament and training nets, Complete beach net sets, Beach volleyball accessories, Volleyball leisure set, Beach badminton, Leisure badminton, Soccer tennis, Children's lawn tennis net, Paddle tennis, Beach tennis, Beach combi set, Beach handball, Beach soccer, Goal and safety nets for small playing areas and multi-sports facilities in accordance with EN 15312, Ball stop nets for indoor courts, Street basketball, All-weather net, Sun sail
Anti-Vandalism Nets	10.1 – 10.9	Knotless stop nets and practice pitch goal nets with "Mahulan steel" wire-strand core, reinforced Polypropylene volleyball nets, Dralo® volleyball nets, reinforced practice pitch goal nets, Dralo® practice pitch goal nets, nets for playgrounds in residential areas, ball stop modular fencing system, reinforced Dralo® stop nets, technical information on Dralo® nets







#### "Ultra" Goal Nets in braided knotless netting technology, approx. 4.5 mm diameter



Nets in braided knotless technology combine the advantages of knotted nets (high linear tensile strength) with the advantages of knotless netting in Raschel technique (less abrasion in the mesh intersection due to the absence of the knot, same breaking strength in twine and intersection).

Just like the traditional knitted knotless nets in Raschel technology nets in braided knotless technology have a nice design and a continuously precise mesh size. That special netting technology provides an optimal force impact thus lengthening the lifespan of the net.

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 1993

Football goal net, approx. 4.5 mm polyethelene in new braided knotless netting technology. Mesh size: 10 cm, square mesh design.

Colour: £ 652.90 / pair (additional safety tensioning lines on request)

No. 1991



Football goal net, approx. 4.5 mm polyethelene in new braided knotless netting technology. Mesh size: 10 cm, square mesh design.

Colour: £ 557.20 / pair (additional safety tensioning lines on request)

Our football goal nets have the maximum mesh width of 120 mm required by DIN EN 748.

#### "Ultra" Junior Football Goal Nets in braided knotless netting technology, approx. 4.5 mm diameter



Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1 m.

No. 1599

Junior football goal net, approx. 4.5 mm polyethelene in new braided knotless netting technology.

Mesh size: 10 cm, square mesh design.

£ 337.70 / pair

(additional safety tensioning lines on request)

Dimensions: width 5.15 m, height 2.05 m, top depth 1.00 m, bottom depth 1.50 m.

No. 1595



Junior football goal net, same design as for previous item. Colour: £ 365.80 / pair (additional safety tensioning lines available on request)



No. 1595-06





No. 1023-02

#### Football Goal Nets with hexagonal mesh

HUCK football goal nets with hexagonal mesh were used during the 2006 world football championship in Germany. As a result of such nets in this special design being well received we now offer an extended range of hexagonal mesh goal nets that includes different depths.

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

No. 1021 Knotless goal net in approx. 3.5 mm high tenacity polypropylene, with hexagonal mesh.

> Colour: • O £ 143.60 / pair

No. 1023

Knotless goal net in approx. 3.5 mm high tenacity polypropylene, with hexagonal mesh.

Colour: O •

£ 225.20/ pair

#### Football Goal Nets with chequered pattern

Thanks to a new manufacturing technique we can offer knotless nets with hexagonal mesh and chequered pattern.

#### European patent no. 22 85 456.

These nets with chequered pattern can be offered in the following sizes and colour combinations.

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 1011 Knotless goal net in approx. 3.5 mm high tenacity polypropylene, with hexagonal mesh (chequered pattern). £ 153.70 / pair

Colour: • • •

No. 1013-27

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

Knotless goal net in approx. 3.5 mm high tenacity No. 1013 polypropylene, with hexagonal mesh (chequered pattern).

Colour:

£ 242.00 / pair

= 01 = green

 $\bullet$  = 21 = white/green  $\bullet$  = 54 = yellow/blue

 $\bigcirc$  = 02 = white

 $\bigcirc$  = 24 = white/blue

= 56 = yellow/black

= 05 = yellow

 $\bigcirc$  = 27 = white/red

= 76 = red/black

When ordering, please specify which colour you require! (e.g. 1013-21)







#### **Football Goal Nets**

Dimensions: width 7.50 m, height 2.50 m, top depth 1 m, bottom depth 3 m.

#### **Football Goal Nets**



Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 1004	Knotless goal net in 2.3 mm dia. h polypropylene. Colour: ● ○	igh tenacity £ 55.00 / pair	No. 1041	Knotless goal net in approx. 4 mm po Colour: ○ (* as stock lasts)	<b>Solyester.</b> £ 168.90 / pair*
No. 1054	Knotless goal net in 3 mm dia. hig polypropylene. Colour: •	<b>h tenacity</b> £ 72.45 / pair	No. 1051	Knotless goal net in approx. 3 mm hi polypropylene. Colour:  ○ ○ ●	<b>gh tenacity</b> £ 74.30 / pair
No. 1064	Knotless goal net in 5 mm dia. hea polypropylene. Colour: ○	tyy duty high tenacity £ 240.00 / pair	No. 1061	Knotless goal net in approx. 5 mm hi polypropylene heavy duty design. Colour:   ○	•
No. 1074	Knotless goal net in 4 mm dia. hig polypropylene. Colour: ○ •	f 104.00 / pair	No. 1071	Knotless goal net in approx. 4 mm hi polypropylene. Colour: • • • • • • • Colour: • (as stock lasts)	<b>gh tenacity</b> £ 108,10 / pair £ 119.40 / pair

Please note: All goal nets can be supplied immediately.



= 04 = blue

= 07 = red

 $\bigcirc$  = 02 = white

= 05 = yellow

= 09 = violet

= 03 = orange

● = 06 = black

When ordering, please specify which colour you require! (e.g. 1051-02)



**Offer** 

... and with it: Net bag No. 1040 (see page 1.4 in our catalogue)





No. 1063-02





Dimensions: width 7.50 m, height 2.50 m, top depth 1 m, bottom depth 2.25 m.

#### Football Goal Nets



Dimensions: width 7.50 m, height 2.50 m, top depth 2 m, bottom depth 2 m.

No. 1052	Knotless goal net in approx. 3 mm high tenacity polypropylene.		No. 1043	<b>Knotless</b> goal net in approx. <b>4</b> Colour:	mm polyester. £ 219.50 / pair*
	Colour: • O •	£ 83.30 / pair		(* as stock lasts)	·
No. 1062	Knotless goal net in approx. 5 mm high tenacity polypropylene, heavy duty design.		No. 1053	Knotless goal net in approx. 3 mm high tenacity polypropylene.	
	Colour: • O	£ 243.20 / pair		Colour: ● ○ ●	£ 105.30 / pair
No. 1072	Knotless goal net in approx. 4 mm high tenacity polypropylene.		No. 1063	Knotless goal net in approx 5 mm high tenacity polypropylene, heavy duty World Cup design.	
	Colour: • O • • •	£ 115.40 / pair		Colour: • O	£ 262.20 / pair
	Colour: ● (as stock lasts) £ 126.70 / pair	No. 1073	Knotless goal net in approx. 4 polypropylene.	mm high tenacity	
				Colour:	f 144 70 / nair



#### Net storage bag

Offer

No. 1040 Net bag

- enough space for 1 pair of football goal nets (adult)
- large opening thanks to a practical double zipper  $\,$

£ 12.00 / each

ullet = 01 = green ullet = 03 = orange ullet = 05 = yellow ullet = 07 = red ullet = 12 = green/white ullet = 72 = red/white ullet = 04 = blue ullet = 06 = black ullet = 09 = violet ullet = 42 = blue/white







#### Football Goal Net optimised for cameras with a different colour design on each side

The "Fans" football goal net is great for cameras. The white side towards the pitch provides a clear outline for players, while the black side towards the stands gives spectators and cameras a great view. Utility model patent application DE 20 2014 101 841 U1

Dimensions: 7.50 m wide, 2.50 m high, 200 cm deep top and bottom.

No. 10133 Knotless goal net "Fans" in approx. 3.5 mm high tenacity

polypropylene, with hexagonal mesh, black outside, white inside.

£ 242.00 / pair Colour 26: white/black

Other colour combinations available upon request!

Our football goal nets have the maximum mesh width of 120 mm required by DIN EN 748.

Under the latest issue of DIN EN 748 the EN models are no longer restricted to square meshes, such that DIN EN 748 also covers hexagonal meshes.

#### Football Goal Nets – Huck Eco-Nets

HUCK now has textile nets for sports uses, helping to protect the environment.

The nets are made from **PLA** (polylactic acid). PLA is **biodegradable** under environmental conditions that can generally only be found in industrial compost works.

This means that consumers can use an alternative method of disposal.

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 1.50 m.

No. 1033 Knotless goal net in approx. 4 mm

PLA (polylactic acid).

£ 157.60 / pair Colour: O

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 10331 Knotless goal net in approx. 4 mm

PLA (polylactic acid).

Colour: O £ 168.90 / pair

Dimensions: width 7.50 m, height 2.50 m, top depth 2 m, bottom depth 2 m.

No. 10333 Knotless goal net in approx. 4 mm

**PLA** (polylactic acid).

Colour: O £ 219.50 / pair





No. 1071-45

#### 2 coloured Football Goal Nets in Club Colours

With a greater number of colour combinations, you can now order even more football goal nets in your club colours!

Every football field can have an attractive appearance thanks to the even structure of the netting and the diagonal alignment of the colours.

In the best Huck quality, of course!

Dimensions: width 7.50 m, height 2.50 m, top depth 1 m, bottom depth 3 m.

No. 1074

Knotless goal net in approx. 4 mm high tenacity polypropylene.

Colour: O O O O


£ 124.00 / pair

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 1071 Knotless goal net in approx. 4 mm high tenacity polypropylene.

> Colour:  $\bigcirc$   $\bigcirc$   $\bigcirc$   $\bigcirc$






Dimensions: width 7.50 m, height 2.50 m, top depth 2 m, bottom depth 2 m.

No. 1073 Knotless goal net in approx. 4mm high tenacity polypropylene.

> Colour:  $lackbox{0}$   $lackbox{0}$   $lackbox{0}$

£ 170.00 / pair



 $\mathbb{O} = 12 = \text{green/white} \quad \mathbb{O} = 45 = \text{blue/yellow}$ 

 $\bullet$  = 65 = black/yellow  $\bullet$  = 72 = red/white

= 42 = blue/white

 $\bullet$  = 62 = black/white

 $\bullet$  = 67 = black/red

When ordering, please specify which colour you require! (e.g. 1071-12)







No. 1053-045-42

#### Small-Mesh Goal Nets (45 mm) – 2 coloured

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

No. 1053-045 **Knotless** goal net in approx. 3 mm high tenacity polypropylene. Mesh size: approx. 45 mm.

Colour: • • • £ 250.00 / pair

#### Small-Mesh Goal Nets (45 mm) – 1 coloured

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

No. 1053-045

Knotless goal net in approx. 3 mm high tenacity polypropylene, Mesh size: approx. 45 mm.



Colour: • O

£ 230.00 / pair

#### Small-Mesh Goal Nets (60 mm)

These anti-hooligan nets protect the goalkeeper from tins and bottles thrown by the crowd and prevent them being used as climbing nets. They also add a touch of class to any sports ground.

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 2 m.

No. 1081-060 Knotless goal net in approx. 4 mm high tenacity **polypropylene.** Mesh size: approx. 60 mm.

> Colour: • O £ 180.10 / pair

The small 45 mm mesh size means that the goal nets are hard to be climbed, in accordance with EN 15312, and also makes them good anti-hooligan nets.



Goal net with a mesh size of 45 mm to protect the goal keeper from thrown tins, bottles, etc.

Dimensions: width 7.50 m, height 2.50 m, top depth 1 m, bottom depth 2.25 m.

No. 1082-060 Knotless goal net in approx. 4 mm high tenacity **polypropylene.** Mesh size: approx. 60 mm.

> Colour: • O £ 194.20 / pair

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

No. 1083-060 Knotless goal net in approx. 4 mm high tenacity polypropylene. Mesh size: approx. 60 mm.

> Colour: • O £ 237.50 / pair



No. 1081-060-02






No. 1023-72

#### 2 coloured Football Goal Nets with hexagonal mesh

Dimensions: width 7.50 m, height 2.50 m, top and bottom depth 2 m.

No. 1023 Knotless goal net in approx. 3.5 mm high tenacity





#### 2 coloured Junior Football Goal Nets

Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1 m.

No. 151 Knotless goal net in approx. 4 mm high tenacity polypropylene.

Colour: O O O O

● ● ● £ 76.60 / pair

Dimensions: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m.

No. 1515 Knotless goal net in approx. 4 mm high tenacity polypropylene.

Colour: O O O

**6** 

£ 83.30 / pair

Dimensions: width 5.15 m, height 2.05 m, top depth 0.90 m, bottom depth 2 m.

No. 1511 Knotless goal net in approx. 4 mm high tenacity

polypropylene.

Colour: ● ● ●

£ 83.30 / pair



No. 1515-42





#### Junior Football Goal Nets with chequered pattern

Thanks to a new manufacturing technique we can offer knotless nets with hexagonal mesh and **chequered pattern**. European patent no. 22 85 456.

These nets with chequered pattern can be offered in the following sizes and colour combinations.

*Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1 m.* 

Dimensions: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m.

No. 153 Knotless goal net in approx. 3.5 mm high tenacity

polypropylene, with hexagonal mesh

(chequered pattern).

Colour: • • •

£ 108.00 / pair

No. 1535 Knotless goal net in approx. 3.5 mm high tenacity

polypropylene, with hexagonal mesh

(chequered pattern).

Colour: • • • £ 119.00 / pair

#### Junior Football Goal Nets with hexagonal mesh

Following the positive feedback from the football World Cup, we have extended our range of junior football goal nets with hexagonal mesh.

Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1m.

No. 153 **Knotless** goal net in approx.

3.5 mm high tenacity polypropylene,

with hexagonal mesh.

Colour: O •

£ 108.00 / pair

Dimensions: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m.

No. 1535 **Knotless** goal net in approx.

> 3.5 mm high tenacity polypropylene, with hexagonal mesh.

Colour: O

£ 119.00 / pair



● = 24 = white/blue

= 01 = green  $\bigcirc$  = 02 = white

= 21 = white/green

 $\bigcirc$  = 27 = white/red

When ordering, please specify which colour you require! (e.g. 153-27)



No. 153-05







No. 1515-05

#### **Junior Football Goal Nets**

Junior football goal	note in standard	Garman di	mancione
Junior Tootball doal	nets in standard	ı German dii	nensions

*Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1 m.* 

No. 150 Knotless goal net in approx. 3 mm high tenacity

polypropylene.

Colour:

£ 56.30 / pair Colour:

No. 151 Knotless goal net in approx. 4 mm high tenacity

polypropylene, available in many popular colours. Colour: • O £ 72.10 / pair

No. 152 Knotless goal net in approx. 5 mm high tenacity

polypropylene, heavy duty design.

Colour: • O £ 132.90 / pair

#### Junior football goal nets in standard English dimensions

Dim.: width 6.50 m, height 2.10 m, top depth 1 m, bottom depth 3 m, mesh size 100 mm.

No. 1494 Knotless goal net in approx. 2.3 mm high tenacity

polypropylene. Eleven-A-Side Goal net £ 50.00 / pair Colour: O

Dim.: width 4.80 m, height 1.22 m,

top depth 0.50 m, bottom depth 1.20 m, mesh size 100 mm

No. 1495 Knotless goal net in approx. 2.3 mm high tenacity

polypropylene. Five-A-Side Goal net

Colour: O £ 39.00 / pair

#### Junior Football Goal Nets — Huck Eco-Nets

HUCK now has textile nets for sports uses, helping to protect the environment. The nets are made from PLA (polylactic acid). PLA is **biodegradable** under environmental conditions that can generally only be found in industrial compost works.

£ 76.60 / pair

This means that consumers can use an alternative method of disposal.

*Dimensions: width 5.15 m, height 2.05 m, top and bottom depth 1 m.* 

Dim.: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m.

No. 15011 Knotless goal net in approx. 4 mm PLA

(polylactic acid).

Colour: O £ 100.80 / pair No. 15015 Knotless goal net in approx. 4 mm PLA

(polylactic acid).

Colour: O £ 112.00 / pair







Hexagonal mesh in custom finish (not currently on sale).

£ 143.00 / pair

#### **Junior Football Goal Nets**

Colour: • O

Junior football goal nets in other sizes that conform to the minimum
dimensions specified in DIN FN 748

Dimensions: width 5.15 m, height 2.05 m, top depth 0.90 m, bottom depth 2 m.

Junior football goal nets that conform to DIN EN 748


Dimensions: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m.

No. 1501	Knotless goal net in approx. 3 mm high tenacity polypropylene.		No. 1505	Knotless goal net in approx. 3 mm high tenacity polypropylene.	
	Colour:	£ 61.90 / pair		Colour:	£ 60.80 / pair
No. 1511	<b>Knotless</b> goal net in approx. 4 mm <b>high tenacity polypropylene</b> , available in many popular colours.		No. 1515	v. 1515 Knotless goal net in approx. 4 mm h	
	Colour: • O	£ 77.70 / pair		Colour:	£ 77.70 / pair
	Colour: • • • •	£ 83.30 / pair		Colour: • • • •	£ 83.30 / pair
No. 1541-060	Small-mesh, knotless goal net	in approx. <b>4 mm high tenacity</b>	No. 1525	Knotless goal net in approx. 5	- ,

£ 140.70 / pair

No. 1545-045 Close-mesh, knotless goal net in approx. 4 mm high tenacity polypropylene. Mesh size: approx. 45 mm. Colour: £ 197.00 / pair

When ordering, please specify which colour you require! (e.g. 1511-07)







#### for goals measuring 1.20 m $\times$ 0.80 m

**No. 1210 Mini goal** net made of 2.3 mm high tenacity polypropylene.

**Mesh size: 100 mm.** Includes 2 attachment cords, 6 m long. Dimensions:  $1.30 \text{ m} \times 0.90 \text{ m}$ , top and bottom depth 70 cm. Colour: • £ 28.70 / pair

No. 1211 Mini goal net like item 1210-01 but with a

mesh size of 45 mm (EN 16579).

Colour: • • £ 37.80 / pair

No. 1215

Mini goal net made of 3 mm high tenacity polypropylene.

Mesh size: 100 mm. Includes 2 attachment cords, 6 m long.
Dimensions: 1.30 m × 0.90 m, top and bottom depth 70 cm.

olour: • • £ 33.20 / pair

**No. 1216 Mini goal net** like item 1215, but with a

Colour:

mesh size of 45 mm (EN 16579).

Colour: • • £ 42.30 / pair

Mini goal net made of 3 mm high tenacity polypropylene.

Mesh size: 100 mm. Includes 2 attachment cords, 8 m long.

Dimensions:  $1.90 \, \text{m} \times 1.30 \, \text{m}$ , top and bottom depth 70 cm.

#### for goals measuring 1.80 m imes 1.20 m

**No. 1200 Mini goal net** made of 2.3 mm high tenacity polypropylene.

**Mesh size: 100 mm.** Includes 2 attachment cords, 8 m long. Dimensions:  $1.90 \text{ m} \times 1.30 \text{ m}$ , top and bottom depth 70 cm.

Colour: • • £ 33.20 / pair

No. 1201 Mini goal net like item 1200-01 but with a mesh size of 45 mm (EN 16579).

Colour: • • £ 41.70 / pair

2 11.707 pull

No. 1206

No. 1205

Mini goal net like item 1205, but with a

mesh size of 45 mm (EN 16579).

Colour: • • £ 46.20 / pair

No. 1230 Mini Goal Net made of 2.3 mm high-tenacity polypropylene, Mesh Size 100 mm, incl. 2 Net Ties 8 m long.

Dimensions: 1.90 m  $\times$  1.30 m, top and bottom depth 70 cm. Colour:  $\bullet$  £ 36.10 / pair



Mesh size 100 mm (left) and 45 mm (right)

£ 37.80 / pair







Velcro fasteners for quick and easy fastening of nets to goal, see page 1.16

#### **Mini Goal Nets**

#### for goals measuring 2.40 m $\times$ 1.60 m

No. 1220 Mini goal net made of 2.3 mm high tenacity polypropylene.

> Mesh size 100 mm. Includes 2 attachment cords 8 m long. Dimensions:  $2.50 \text{ m} \times 1.70 \text{ m}$ , top and bottom depth 100 cm.

£ 45.10 / pair

Mini goal net like item 1220, but with a No. 1219 mesh size of 45 mm (EN 16579).

> Colour: £ 56.30 / pair

No. 1217

Mini goal net made of 3 mm high tenacity polypropylene. Mesh size 100 mm. Includes 2 attachment cords 8 m long. Dimensions:  $2.50 \text{ m} \times 1.70 \text{ m}$ , top and bottom depth 100 cm. £ 60.70 / pair Colour:

No. 1218

Mini goal net like item1217, but with a mesh size of 45 mm (EN 16579).

Colour: £ 61.90 / pair





No. 1230-01

#### for goals measuring 3 m x 1 m

No. 1221 Mini goal net made of 3 mm high tenacity polypropylene. Mesh size 100 mm. Includes 2 attachment cords 10 m long. Dimensions:  $3 \text{ m} \times 1 \text{ m}$ , top and bottom depth 100 cm.

> Colour: £ 47.90 / pair

#### for goals measuring 3 m imes 1.60 m

Mini goal net made of 3 mm high tenacity polypropylene. No. 1222 Mesh size 100 mm. Includes 2 attachment cords 12 m long. Dimensions: 3 m  $\times$  1.60 m, top and bottom depth 100 cm.

Colour: £ 50.70 / pair





No. 108-27

#### New trend in sport: Futsal

Futsal is played indoors with a slightly smaller ball than regular indoor football. The goals size is the same as handball so we can manufacture a range of nets for either sport

**Handball goals** are used as goals and we can offer the following net dimensions and qualities.

Dimensions: width 3.10 m, height 2.10 m, top depth 80 cm, bottom depth 100 cm.

No. 108

Knotless goal net in approx. 3.5 mm high tenacity polypropylene. With hexagonal mesh and elastic cords, to protect external mesh row, chequered pattern (European patent no. 22 85 456).

Colour: • • • £ 85.60 / pair

No. 114

Knotless goal net in approx. 4 mm high tenacity polypropylene.

£ 60.80 / pair Colour: • O Colour: £ 64.20 / pair

#### **Reduction for Junior Football Goal Nets**



In the future, the goals for junior football and for children's football up to 10 years old are to be reduced in size so that the game can be adapted to their smaller stature (for football goals 5.15 m wide, 2.05 m high).

No. 167



**Reduction** for goal nets made from webbing net diameter 25 mm, mesh size 200 x 100 mm.

Dimension: 5 m x approx. 0.33 m, at the top and sides with belt snap buckles for fastening to the crossbar and goal posts. £ 135.10 / each Colour:



Reduction for Junior Goal Nets, No. 167-03 (orange)

#### **Ball Carrier Nets**

Ball carrier nets with a **mesh size of** approx. **5 cm** in approx. 2.5 mm **high tenacity polypropylene** with pull cord.

A top-quality product suitable for gymnastic balls. One-colour.

No. 261	for 1–2 balls	£	14.10 / pack of 10
No. 263	for 3 balls	£	15.20 / pack of 10
No. 266	for 6 balls	£	19.70 / pack of 10
No. 269	for 9 balls	£	24.20 / pack of 10
No. 2610	for 10–12 balls	£	29.90 / pack of 10

#### Ball carrier as above but in 3 colours (blue/yellow/green)

 No. 269-3F
 for 9 balls
 £
 25.40 / pack of 10

 No. 2613-3F
 for 13-15 balls
 £
 36.60 / pack of 10

Small-mesh ball carrier nets in approx. 2 mm high tenacity polypropylene. Mesh size: approx. 3 cm

No. 2730 for 30 balls

Colour: • hemp coloured £ 29.30 / pack of 10

#### Ball carrier nets, sturdy design

Heavy duty ball carrier nets in approx. **3 mm high tenacity** polypropylene, **Mesh size approx. 45 mm**, with pull cord at top. Colour: green

**No. 256** for 6 balls £ 7.40 / each

Ball carrier nets as above, but with a mesh size of 100 mm

**No. 2410** for 10–12 balls £ 6,80 / each

#### **Ball bag**

or storing and transporting balls, made from **small-mesh polyester** net, heavy duty, with pull cord at top. Colour: black

**No. 2555** for 13–15 balls

Colour 06: ● black £ 32.40 / each

# No. 256 No. 2410

No. 2730-08

No. 263

#### **Shooting Target Wall**

No. 165 Shooting target wall made of polyethylene fabric,

approx. 200 g/m<sup>2</sup>, with 2 target holes approx. 50 cm in diameter, eyelets at the sides and along the top and complete with two 10 m Isilink cords.

Size:  $5 \text{ m} \times 2 \text{ m}$ .

Colour: • £ 174.50 / each

No. 166 Shooting target wall like No. 165-04 but  $3 \text{ m} \times 2 \text{ m}$  in size.

Colour: • £ 105.80 / each



No. 165-04

1.15



No. 269-3F

#### **Accessories**

#### Fixing kits for goal nets.

#### **Plastic net hooks**

No. 1010 Plastic net hooks for aluminium goals. £ 15.20 / pack of 10

No. 10101 Plastic net hooks, black £ 15.20 / pack of 10

(for nets from 4.5 mm in diameter)

**No. 10102** Net hook H+, black £ 14.10 / pack of 10





No. 10102



No. 10101



#### Support Poles + Accessories

#### Support poles for free hanging goal nets

(goal nets with an equal top and bottom depth).

No. 1015 Aluminium support poles, 40 mm in diameter,

total length: 3 m. Set consisting of 2 support poles (in sections)

and one ground anchor and tension cord per pole.

£ 144.70 / set per goal

No. 1014 Net ties, approx 375 mm long and 7.6 mm wide,

for fixing the goal net to the base frame and/or folding frame.

Supplied in bags of 100.

Colour: ● £ 22.00 / bag

**No. 10141 Net ties,** like no. 1014, but packaged in packs of 10.

Colour: ● £ 2.90 / pack of 10

Particularly well suited for public areas, where the net will often have to be taken off and on.

No. 10145 Velcro strip, width approx. 20 mm, 5 m roll.

Colour: ● £ 14.10 / roll



No. 1015



No. 1014



No. 10145-06

#### **Ballast Chains for Goal Nets**

Ballast chain for goal nets, consisting of a chain, 800 g per metre, sheathed in plastic.

**No. 1017** Depth 150 cm


**Length 10.50 m** £ 114.30 / each

**No. 10171** Depth 200 cm

**Length 11.50 m** £ 126.10 / each

**No. 10172** Depth 225 cm

**Length 12 m** £ 132.30 / each









#### Camera-optimised Handball Goal Net with chequered pattern both sides



Camera-optimised handball goal net. The playing field-facing white side provides a clear contour for the players, the spectator-facing black side provides an optimal view for the spectators or camera. Utility model specifications DE 20 2014 101 841 U1

In regulation dimensions: width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

No. 1088

Knotless goal net in approx. 3.5 mm high tenacity polypropylene, with hexagonal mesh, black on the outside, white on the inside.

Colour 26: white/black

£ 121.00 / pair

Additional colour combinations upon request.



#### Handball Goal Nets with chequered pattern

Thanks to a new manufacturing technique we can offer knotless nets with hexagonal mesh and **chequered pattern**. European patent no. 22 85 456.w

These nets with chequered pattern can be offered in the following colour combinations.

In regulation dimensions: width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

No. 108

Knotless goal net in approx. 3.5 mm high tenacity polypropylene, with hexagonal mesh and additional cord to protect the outer rows of mesh.

**Chequered pattern** 

Colour: • • •

£ 85.60 / pair



 $\bigcirc$  = 27 = white/red

= 24 = white/blue

 $\bigcirc$  = 26 = white/black

When ordering, please specify which colour you require! (e.g. 108-27)



No. 108-21





No. 111-05

#### Indoor Handball Goal Nets with hexagonal mesh

**HUCK handball goal nets were used during the 2007 world handball championship in Germany and the 2011 world handball championship in Sweden.**Goal nets in a special hexagonal mesh design, which stood out additionally by being yellow, were selected.

In regulation dimensions: width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

No. 111

**Knotless** goal net in approx. **4.75 mm high tenacity polypropylene,** with **hexagonal mesh,** and additional cord to protect the outer rows of mesh.

Colour: • £ 132.30 / pair

No. 108

**Knotless** goal net in approx. **3.5 mm high tenacity polypropylene,** with hexagonal mesh, and additional cord to protect the outer rows of mesh.

Colour: O

£ 81.10 / pair

#### "Ultra" Handball Goal Net

In standard dimensions:

width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.


No. 1099

Knotless goal net, approx. 4.5 mm polyethelene in new braided knotless netting technology with increased abrasion resistance and a fixed cord to protect the outer mesh

rows.

Colour:

£ 225.20 / pair





No. 1099-06

= 01 = green

= 05 = yellow

 $\bigcirc$  = 02 = white

● = 06 = black

= 04 = blue

When ordering, please specify which colour you require! (e.g. 111-05)







No. 109/1091-01

#### **Indoor Handball Goal Nets**

In regulation dimensions:

width 3 m, height 2 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

Knotless 'World Cup' goal net in approx. No. 109

**5 mm high tenacity polypropylene,** attached to the goal frame by a fixed cord to protect the outer rows of mesh. £ 132.30 / pair

No. 112 Knotless goal net in approx. 3 mm high tenacity

polypropylene.

Colour: £ 46.80 / pair


No. 113 Knotless goal net in approx. 4 mm polyester.


£ 109.80 / pair Colour: O

Knotless goal net in approx. 4 mm high tenacity No. 114

polypropylene.

£ 60.80/ pair Colour: ● ○ ● Colour: £ 64.20 / pair





Dimensions: width 3.10 m, height 2.10 m,

top depth 0.80 m, bottom depth 1.50 m. Mesh size 10 cm.

Dimensions: width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 2 m. Mesh size 10 cm.

No. 1142 Knotless goal net in approx. 4 mm high tenacity

polypropylene.

Colour: • O £ 73.20 / pair No. 1143 Knotless goal net in approx. 4 mm high tenacity

polypropylene.

Colour: • O

£ 77.70 / pair

Indoor handball goal nets with different depths on request!





No. 114-72

#### Two-colour Handball Goal Nets in club colours

In order to increase the customer appeal of our handball goal nets, we can now offer you two-colour handball goal nets in your club colours in three colour combinations.

In regulation dimensions:

No. 1192

width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

No. 114 Knotless goal nets in approx. 4 mm high tenacity polypropylene.





Accessories: Tension Cords for indoor handball goal nets

These tension cords fit all our indoor handball and

indoor hockey goal nets.

**Elastic tension cords**, 2 heavy-duty elastic cords with hooks at both ends, 6.50 m long. These tension cords are designed for the section of net attached to the vertical posts and crossbar of indoor handball and indoor hockey goals (the red lines on the sketch). They make the net more elastic and prolong its life.

£ 16.40 / pair

No. 1191 Tension cords in approx. 6 mm polyethylene.

A set of 4 cords. The top two tension cords are fitted with a quick-release fastener. These tension cords are for goals in which the net is freely suspended inside the frame (the blue lines on the sketch).

£ 16.40 /set



No. 1191 blue, No. 1192 red

#### Fixing kits for goal nets.

#### **Plastic net hooks**

**No. 1010** Plastic net hooks for aluminium goals. £ 15.20 / pack of 10

**No. 10101** Plastic net hooks, black £ 15.20 / pack of 10

(for nets from 4.5 mm in diameter)

**No. 10102** Net Hooks H+, black £ 14.10 / pack of 10









No. 10102





No. 111-05

#### "Exclusive" Indoor Handball Goal Nets

In addition to the tension cord at the top, these nets have a tension cord at the bottom to prevent the ball from slipping between the goal frame and the net. The tension cord at the top is fitted with a quick-release fastener.

The section of the net that is hung on the goal frame is fitted with an additional cord in order to protect the outer rows of mesh.

Please use the cord and not the net edge to attach the net to the goal frame. This will lengthen the life of the net considerably!

In regulation dimensions: width 3.10 m, height 2.10 m, top depth 0.80 m, bottom depth 1 m. Mesh size 10 cm.

No. 1131 Knotless goal net in approx. 4 mm polyester.

> Colour: O £ 134.50 / pair

No. 1141 Knotless goal net in approx. 4 mm high tenacity

polypropylene.

Colour: • O • £ 81.10 / pair No. 1091

Knotless goal net in approx. 5 mm heavy duty, high tenacity polypropylene.

Colour: • O • £ 149.70 / pair







= 02 = white

= 42 = blue/white

= 04 = blue

● = 72 = red/white

= 07 = red



Additional cord to protect the outer rows of mesh

When ordering, please specify which colour you require! (e.g. 1141-07)





#### **Catch Nets for Indoor Handball Goals**

Dimensions: 2 × 3 m, mesh size 10 cm, complete with 8 m tie cord. Like in ice hockey, additional catch nets are suspended in indoor handball goals. For a surcharge, all 3 designs can also be weighted with a lead cord (see below), which makes the net even more effective at catching balls.

No. 117 Catch net in approx. 4 mm high tenacity polypropylene. No. 118 Catch net in approx. 4 mm polyester.

> Colour: £ 42.80 / pair

Colour: O £ 54.60 / pair

Catch net in approx. 5 mm high tenacity polypropylene, No. 119

suitable for indoor handball goal nets 109 and 1091. Colour: • O • £ 82.20 / pair

#### Catch nets for Indoor Handball Goals, close mesh

This catch net has a mesh size of 4.5 cm and is fitted with leaded ballast cord at the bottom. It has already proven its worth at international tournaments with the ball rolling in and being picked up more easily

No. 1171 Catch net in approx. 4 mm high tenacity polypropylene.

Mesh size: 4.5 cm

Colour: • O • £ 132.90 / pair

#### **Reduction for Handball Goal Nets**



No. 168

NEW

Reduction for goal nets made from webbing net diameter 25 mm, mesh size 200 x 100 mm,.

Dimension: 3 m x approx. 0.40 m, at the top and sides with belt snap buckles for fastening to the crossbar and goal posts. Colour:

£ 90.10 / each



No. 168-03

#### Weighting for Indoor Handball and Indoor Hockey Goal and Catch Nets

No. 2110 Lead cord weighting for indoor handball catch and goal nets,

400 g per metre. Already fitted in the webbing of the net.

5.40 / metre

No. 1193 Chain weights for indoor handball goal nets, 800 g per metre.

Sheathed in plastic with a hook and tie cord at both ends.

For nets with a depth of 1 m.

Length: 5 m £ 58.60 / each







No. 126-01

#### **Indoor Hockey Goal Nets**

Mesh size 4.5 cm. Dimensions: width 3 m, height 2 m, top depth 0.80 m, bottom depth 100 cm.

As the goal net dimensions for indoor handball and indoor hockey are identical, the same nets can be used for both sports!

No. 110	Knotless Indoor hockey goal net in approx. 4 mm high tenacity polypropylene. Mesh size: 4.5 cm.		No. 126	Knotless Indoor hockey goal net in approx. 5 mm heavy duty high tenacity polypropylene. Mesh size 4.5 cm.	
	Colour:	£ 171.10 / pair		A very flexible net.	
				Colour: • O •	£ 242.00 / pair
No. 125	<b>Knotless</b> Indoor hockey go	oal net in approx. <b>3 mm high</b>	No. 127	Knotless Indoor hockey goal	net in approx. <b>2.5 mm high</b>
	tenacity polypropylene.	Mesh size 4.5 cm.		tenacity polypropylene. M	esh size 2.5 cm.
	Colour:	£ 136.20/ pair		Colour:	£ 231.00 / pair

All indoor hockey goal nets have a additional cord in the goalmouth area.

The goal nets should only be attached to this cord as this lengthens the life of the nets considerably (see photo on top).

#### **Mini Hockey Goal Net**

No. 1240

Mini hockey goal net in approx. **2.3 mm high tenacity polypropylene,** including 2.5 m long tie cord. Dimensions: 0.90 x 0.60 m, to the **very top**, lower depth 70cm.



Colour: • £ 25.90 / pair

Mini hockey goal net in approx. 2 mm high tenacity polypropylene.

Mesh size 4.5 cm. Available in any size.

Price on request

See page 1.12 + 1.13 for our mini goal nets.



• = 01 = green  $\bigcirc$  = 02 = white • = 03 = orange • = 04 = blue • = 05 = yellow

When ordering, please specify which colour you require! (e.g. 119-04)





No. 130-01

#### **Field Hockey Goal Nets**

#### Field hockey goal net with a mesh size of 4.5 cm.

No. 130 Knotless field hockey goal net in approx. 3 mm high tenacity polypropylene. Mesh size 4.5 cm, width 3.66 m, height

2.14 m, top depth 90 cm, bottom depth 120 cm.

Colour: 
£ 135.10 / pair

No. 1301 Knotless field hockey goal net in approx. 4 mm high tenacity

**polypropylene.** Mesh size 4.5 cm, width 3.66 m, height 1.80 m, top depth 90 cm, bottom depth 120 cm.

In this case the net only comes down as far as the backboard (at the sides and back).

Colour: • £ 219.00 / pair

**No. 1302 Knotless** field hockey goal net as no. 1301, but in approx.

**3 mm high tenacity polypropylene,** mesh size 4.5 cm. Colour: £ 159.00 / pair

#### Field hockey goal net with a mesh size of 2.5 cm.

No. 132 Knotless field hockey goal net in approx. 2.5 mm high

tenacity polypropylene. Mesh size 2.5 cm,

dimensions as No. 130.

Colour: • £ 266.00 / pair

• = 01 = green  $\bigcirc$  = 02 = white

When ordering, please specify which colour you require! (e.g. 137-02)

See page 7.2 for our ice hockey goal nets.

#### Floorball

No. 136 Knotless floorball net in approx. 2.3 mm high tenacity

**polypropylene.** Mesh size 45 mm,  $1.60 \times 1.15$  m,

top depth 40 cm, bottom depth 60 cm.

Colour: O £ 40.60 / pair

No. 137 Knotless floorball net (which hooks on) in approx. 2.3 mm

high tenacity polypropylene. Mesh size 45 mm,  $1.70 \times 1.25$  m.

Colour: ○ £ 17.50 / pair

Other sizes available on request!

Please measure the depth of the goal before ordering to avoid delivery of an unsuitable net.



#### **Roller Hockey Goal Nets**

No. 131 Knotless roller hockey goal net in approx. 3 mm polyester.

Mesh size 4 cm.

Dimensions: 170 cm wide, 105 cm high, **top depth 35 cm, bottom depth** 92 cm, including a hook-on net:  $180 \times 110$  cm.

Colour: O

£ 163.20 / pair

No. 1311 Knotless roller hockey goal net in approx. 4 mm polyester.

Mesh size 4 cm.

Dimensions: 170 cm wide, 105 cm high, **top depth 65 cm**, **bottom depth110 cm**, including a hook-on net:  $180 \times 110$  cm.

Colour: O

£ 219.50 / pair





#### Volleyball Tournament Nets that conform to international and DVV I standards

These nets are used for international matches as well as for all competition matches, particularly in the higher categories, from the Landesliga (German State League) and above. They all share the following features:

- 6-point suspension with 3 quick-release fasteners at each end and fibreglass-reinforced polyester rods sewn into the sides
- 70 mm wide, white headband with 11.70 m Kevlar cable
- continuous **50 mm wide, white band** along the bottom **as well as inner tensioning rope.**

9.50 m long, 6-point suspension, fibrealass-reinforced polyester rods sewn into the sides at each end and Kevlar cable (11.70 m long) above with a 70 mm headband and a continuous 50 mm band along the bottom.

No. 5088 Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene, mesh size: 100 mm.

Colour: £ 117.10 / each No. 5055 Knotless volleyball tournament net in approx. 2.3 mm high tenacity polypropylene, mesh size 45 mm.

£ 123.90 / each Colour:

No. 5077 Knotless volleyball tournament net in approx. 4 mm high tenacity polypropylene, mesh size: 100 mm.

> Colour: £ 123.30 / each

No. 5056



Knotless volleyball tournament net in approx. 2 mm polyethylene, mesh size 45 mm, in twisted knotless **netting technology**, resulting in optimal tensioning (very little slack).

Colour: £ 140.70 / each

All volleyball nets are fitted with a plastic disc at both ends of the net, to prevent the steel or Kevlar cable from accidentally slipping back into the tape.

Our tournament nets (without printing) have a woven, extremely heavy-duty headband. The nets are 9.50 m long and 1 m high, and conform to DIN EN 1271, Net class A (issued January 2015) requirements.

We cannot issue quotes for nets with printed edges (on PVC bands) until we have camera-ready artwork.

Depending on the size of the order, there may be a substantial surcharge for this service and delivery is likely to be 3-4 weeks after approval of the print format.



No. 5055-06

Please note: If Kevlar cables in other lengths are needed, please state this when ordering!





No. 5099: Volleyball Tournament DVV I competition nets. The pulley on each side of the net ensures a perfectly even tension over the entire area of the net.

#### Volleyball Tournament Nets that conform to DVV I standards (with tension pulley)

9.50 m long, **6-point suspension**, fibreglass-reinforced polyester rods sewn into the sides at each end and Kevlar cable (11.70 m long) with tension pulley above. **70 mm wide headband and continuous 50 mm wide band** along the bottom.

No. 5099 This design development **patented by Huck (patent no. P 43 24 767.9-09)** also features a tension pulley at both ends of the Kevlar cable. This system guarantees an even tension across the net.

It is also possible to adjust the position of the net to fit the court markings once it has been tensioned.

"Smash" knotless volleyball tournament net in approx. 4 mm high tenacity polypropylene with Kevlar tension cord (11.70 m long), fibreglass-reinforced polyester rods sewn into the sides at each end, 6-point suspension and 6 tie cords with quick-release fastener as well as a tension pulley at each end.

Colour: 
£ 132.90 / each

Volleyball Tournament Nets that conform to international and DVV II standards

9.50 m long, **4-point suspension**, fibreglass-reinforced polyester rods sewn into the sides at each end and steel or Kevlar cable (11.70 m long) with a **70 mm headband** and continuous **50 mm band** along the bottom.

No. 5033 Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene with steel cable (approx. 4 mm thick and 11.70 m long). Fibreglass-reinforced polyester rods sewn into the sides at each end, 4-point suspension and 4 tie cords with quick-release fastener.

ColouR: ● £ 95.70 / each

No. 5034 Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene with Kevlar cable (approx. 5 mm thick and 11.70 m long). Fibreglass-reinforced polyester rods sewn into the sides at each end, 4-point suspension and 4 tie cords with quick-release fastener.

Colour: • £ 102.50 / each



No. 5034-06

Please note: If Kevlar or steel cables in other lengths are needed, please state this when ordering!







No. 5166: The bottom of the net is reinforced beyond the playing area so that the antenna pockets can be secured properly. DVV-Approved for items 5133-06, 5134-06 and 5166-06.

#### **DVV-Approved Volleyball Tournament Nets**

In contrast to DVV I and DVV II, DVV nets have a 50 mm wide headband and, at the bottom, a band for securing the antennae only at the sides. They can still be used as tournament nets in the lower divisions.

9.50 m long, 4-point suspension, fibreglass-reinforced polyester rods sewn into the sides at each end and steel or Kevlar cable (11.70 m long) above.

Knotless volleyball tournament net in approx. 3 mm high

tenacity polypropylene with steel cable (approx. 4 mm thick and 11.70 m long). Fibreglass-reinforced polyester rods sewn into the sides at each end, 4-point suspension and

4 tie cords with quick release fastener.

Colour: £ 78.80 / each

No. 5134 Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene with Kevlar cable (approx. 5 mm thick and 11.70 m long). Fibreglass-reinforced polyester rods sewn into the sides at each end, 4-point suspension and 4 tie cords with quick release fastener.

> £ 86.10 / each Colour:

9.50 m long, 6-point suspension, fibreglass-reinforced polyester rods sewn into the sides at each end and Kevlar cable (11.70 m long) above.

No. 5166

Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene with Kevlar cable (11.70 m long). Fibreglass-reinforced polyester rods sewn into the sides at each end, 6-point suspension and 6 tie cords with quick-release fastener.

£ 100.80 / each Colour:

#### **Long Volleyball Nets (for training)**

No. 5030 Knotless long volleyball net in approx. 3 mm high tenacity

polypropylene with polyester headband.

Kevlar cable length: net length + 2 m

Colour 06: Black 7.80 / metre

No. 5020 Knotless long volleyball net in approx. 2.3 mm high tenacity polypropylene with polyester headband.

Kevlar cable length: net length + 2 m

Colour: 6.70 / metre



No. 5030-06

When ordering, please specify which colour you require! (e.g. 5133-06)

= 06 = black

No. 5133

#### **Volleyball Training Nets**

Regulation dimensions: 9.50 m long, 1 m high, mesh size 10 cm, steel or Kevlar cable, or nylon tie cord (11.70 m long).

No. 509 Volleyball net in approx. 2 mm polyethylene cord, No. 503 Volleyball net in approx. 3 mm high tenacity polypropylene

9.50 m long, 1 m high, with nylon tie cord. with 4 mm steel cable. Heavy-duty design. Colour: £ 50.70 / each

No. 501 Volleyball net in approx. 2 mm polyethylene cord with No. 5032 Volleyball net in approx. 3 mm high tenacity polypropylene

with 11.70 m Kevlar cable. Heavy-duty design. 3 mm steel cable.

£ 59.70 / each Colour: £ 36.10 / each Colour:

The reinforced edges of all training nets are made of high quality UV-resistant material.

#### When ordering, please specify the colour of the net!

e. g. 503-01 = Volleyballnet in colour green.

#### = 01 = green


#### ● = 06 = black

#### **"Exclusive" Training Net**

No. 5011 Volleyball net in approx. 2.3 mm high tenacity

> polypropylene, reinforced all round with tarpaulin, 11.70 m steel cable above, fibreglass-reinforced polyester rods sewn into the sides, additional tie cords on all four corners.

Colour: £ 57.40 / each



With school volleyball in mind, we have designed a practice net that can be set up very quickly (1 minute). It is made of polyethylene Raschel fabric and is approx. 70 cm high. There is a 50 cm long elastic loop in each corner but no steel cable or reinforced surround.

No. 511 Training net for quick assembly, length 10 m.

> Colour: • with white selvage £ 25.40 / each

No. 512 Training net for quick assembly, length 3.50 m.

> Colour: • with white selvage £ 16.40 / each

Other lengths available upon request.




No. 5011-06

#### ... and the professional versions:

No. 515 Training net for quick assembly,  $0.40 \times 10$  m, made of reinforced Raschel fabric with reinforced headband. Tensioning of the net is improved by PES rods at the sides, the

tension cord with Clamcleat cleat along the top and elastic loops with snap hooks fitted at the bottom on both sides.

Colour: £ 42.30 / each





No. 515-01

Items 509–515 cannot be supplied with steel or Kevlar cables.

#### Volleyball Antennae

According to the rules of international volleyball, antenna pockets must incorporate a white strip, 5 cm wide, which serves as a boundary marker, and a black pouch for the antenna. The white boundary marker and black pouch must form a complete unit (see photos).

No. 502 One-piece volleyball antennae with DVV approval. Length 1.80 m. Supplied complete with coated

**polyester pockets** and boundary marker.

£ 34.90 / pair

No. 5021 Two-piece volleyball antennae. Length 1.80 m.

Supplied complete like item 502. DVV approved. Improved design: the join is extremely stable, which increases the stability of the equipment (see photo in the bottom right-hand corner).

£ 38.30 / pair



The new woven Polyester support pocket can even withstand extreme loads, such as e.g. this attack.

#### International Volleyball Federation rules state that only one-piece net antennae may be used at official tournaments.

According to the DVV testing body for materials, two-piece antennae with a stable join in the protected part of the pouch are also permitted. **Our two-piece antennae meet these safety standards.** 

#### **Volleyball Antennae without Pockets**

No. 5025 One-piece volleyball antennae, length 1.80 m,

without pockets. £ 14.10 / pair

No. 5026 Two-piece volleyball antennae, length 1.80 m,

without pockets. £ 17.50 / pair

#### **Antenna Pockets**

No. 5023 High frequency welded pockets for volleyball antennae with

coated polyester boundary marker.

£ 20.90 / pair

No. 5053 Integrated pockets with DVV approval, as no. 5023,

but already fitted to net.

£ 26.50 / pair

## Improved design: the two pieces meet in the protected part of the pouch and the join is extremely stable. No. 5021



Sit Volleyball Net with printed headband upon request.

#### Sit Volleyball Net (size: $0.80 \times 6.50 \text{ m}$ )

No. 5266 Knotless volleyball tournament net in approx. 3 mm high tenacity polypropylene with Kevlar cable (11.70 m long).

Fibreglass-reinforced polyester rods sewn into the sides at each end, **6-point suspension** and 6 tie cords with quick-release

fastener.

Colour: ● £ 110.00 / each



#### Net Accessories

No. 535 Tie cords for DVV I and II-approved volleyball nets with quick-

release fastener, 2 m long (see photo). 4 or 6 cords required per net. These cords can only be used with volleyball nets that have fibreglass polyester rods at the sides.

f = 5.70 / each

**No. 537 Spare tensioner,** black, for tensioning the net

(see photo).

£ 2.40 / each





#### Spare parts for retrofitting volleyball nets.

No. 5020 Volleyball antenna pockets with Velcro fastening for a quick

and easy attachment to net.

£ 21.40 / pair

**No. 9082 Spare cable** in 4 mm dia. galvanised **steel**, length 11.70 m with

loops.

£ 15.20 / each

No. 9083 Spare tensioning cable in Kevlar aramid fibre,

length 11.70 m, with 2 loops. £ 18.60 / each

**No. 9084** Surcharge for supplying volleyball nets with 11.70 m long

**Kevlar cable** (instead of steel cable).

£ 8.50 / each







No. 5020

#### Huck solutions to the problem of storing and transporting nets.

No. 530 Frame for rolling volleyball nets.

£ 19.70 / each

**No. 540 Bag** for carrying volleyball nets made of lightweight nylon.

Ideal for transporting and storing volleyball nets.

Length: 1.05 m

Diameter: 25 cm £ 11.90 / each











#### **Badminton Tournament Nets conforming to DIN EN 1509**

Dimensions: length 6.02 m, height 0.76 m, mesh size approx. 18 mm, 8 m Kevlar cable, sides reinforced with polyester rods. With extra **strong** tape.

No. 6001 Badminton tournament net conforming to DIN EN 1509 in approx.

1.2 mm high tenacity polypropylene. Mesh size approx. 18 mm.

£ 41.10 / each

No. 6021 Badminton tournament net conforming to DIN EN 1509 in approx. 1.8 mm high tenacity polypropylene. Mesh size approx. 18 mm.

> Colour: £ 51.80 / each



All badminton tournament nets are fitted with a plastic disc at both ends of the net, to prevent the steel or Kevlar cable from accidentally slipping back into the tape. All badminton tournament nets have an extra strong headband (but no belt tensioner).

Badminton nets manufactured to order (including shorter ones) are subject to a surcharge.

#### **Badminton Tournament Nets**

International dimensions: length 6.02 m, height 0.76 m, mesh size approx. 18 mm, 6.60 m long steel or Kevlar cable. With extra **strong** tape.

No. 600 "Champion" badminton tournament net in approx. 1.2 mm high tenacity polypropylene, mesh size approx. 18 mm,

with **steel cable**, 6.60 m long, but no polyester rods.

Colour: £ 32.10 / each

No. 601 "Champion" badminton tournament net as no. 600, but with

**Kevlar cable**, 6.60 m long, no polyester rods. £ 37.20 / each

No. 602 "Perfect" badminton tournament net in approx. 1.8 mm high

tenacity polypropylene, mesh size approx. 18 mm, with **steel cable**, 6.60 m long, but no polyester rods.

Colour: £ 40.60 / each

No. 603 "Perfect" badminton tournament net as no. 602, but with

Kevlar cable, 6.60 m long, no polyester rods.

£ 46.20 / each Colour:

#### "Light" Badminton Tournament Net

International dimensions: length 6.02 m, height 0.76 m, mesh size approx. 20 mm, tensioning rope 8 m long. With extra light tape.

"Light" badminton tournament net made in approx. 1 mm No. 604 high tenacity polypropylene, mesh size approx. 20 mm,

with 8 m long tensioning rope approx. 4 mm dia., tape all round, but no polyester rods.

Colour: £ 26.50 / each

When ordering, please specify which colour you require! (e.g. 600-06)

= 06 = black





#### **Sets of Badminton Nets**

Our "Champion" and "Perfect" badminton tournament nets are also available as part of a set, each consisting of two, three or four nets without polyester rods on a long Kevlar cable.

No. 60002-06	<b>2 nets:</b> No. 600 'Champion', Kevlar cable length: <b>15 m.</b>	£ 78.80 / set
No. 60003-06	<b>3 nets:</b> No. 600 'Champion', Kevlar cable length: <b>23 m.</b>	£ 118.20 / set
No. 60004-06	4 nets: No. 600 'Champion', Kevlar cable length: 31 m.	£ 157.60 / set
No. 60202-06	2 nets: No. 602 'Perfect', Kevlar cable length: 15 m.	£ 89.00 / set
No. 60203-06	3 nets: No. 602 'Perfect', Kevlar cable length: 23 m.	£ 134.00 / set
No. 60204-06	4 nets: No. 602 'Perfect', Kevlar cable length: 31 m.	£ 177.90 / set

#### **Badminton Training Nets**

No. 6000 "Champion" long badminton net. Length of the Kevlar cable:

length of the net + 0.60 m.

Colour: ● £ 7.70 / metre

**No. 6020** "Perfect" long badminton net. Length of the Kevlar cable:

length of the net + 0.60 m.

Colour: • £ 8.40 / metre

 $\bigcirc$  = 02 = white  $\bullet$  = 06 = black

When ordering, please specify which colour you require! (e.g. 60204-06)

Please note: If Kevlar cables in other lengths are needed, please state this when ordering!







# **Badminton Accessories**

No. 532 Belt and tensioning device with ratchet mechanism for badminton and volleyball nets. Tensioning device consisting of 25 mm polyester belts, which can be fitted at either side, and integral ratchet for tensioning. On one side, fixed belt,

> 90 cm long, with hook and on the other, adjustable belt, also 90 cm long, with hook.

**To tighten:** lock the tensioning lever of the ratchet mechanism **To release:** release the lock in the tensioning lever, open the tensioning lever completely until it reaches a horizontal position and snap the lock into place in the 2 grooves of the belt roller.

£ 14.40 / each

£ 2.00 / each

Extra charge for Kevlar or steel rope extension

from 6.60 m to 8 m.

No. 533

Belt tensioner with clamp lock and 2 hooks consisting of a 25 mm polyester belt, 100 cm long when extended, with large hand loop, 1 clamp lock and 2 hooks. Tensioning: 15 - 60 cm.

£ 9.30 each

No. 2105 **Kevlar tension cable,** approx. 5 mm, for badminton nets.

£ 1.50 / metre



# **Badminton Training Nets**

No. 607 Badminton net in approx. 1.2 mm high tenacity

polypropylene with nylon tension cord, 6.10 m long, 76 cm high, 20 mm mesh, reinforced all the way around.

Colour: £ 19.70 / each

### Surcharge for smaller nets:

per single net

nets under  $1 \text{ m}^2 + 200 \%$ nets under  $5 \text{ m}^2 + 100 \%$ 

nets under  $10 \text{ m}^2 + 35 \%$ 

nets under  $20 \text{ m}^2 + 20 \%$ 

See product information on pages 6.3 and 6.4.

# **Catch Nets**

No. 608

No. 201-020 **Knotless** shuttlecock catch net in approx.

1.8 mm high tenacity polypropylene with a mesh size of 20 mm and fixed selvage.


 $\pm$  5.00 /  $m^2$ Colour: ○ ●

No. 203-020 **Knotless** shuttlecock catch net in approx.

1.5 mm high tenacity polypropylene with a mesh size of 20 mm and fixed selvage.

Colour: £  $4.45 / m^2$ 









# **Tennis Nets**

The dimensions of our standard nets for doubles courts conform to ITF (International Tennis Federation) and DTB (German Tennis Federation) regulations:  $12.72 \text{ m} \times 1.07 \text{ m}$  (imperial:  $42 \text{ ft} \times 3.5 \text{ ft}$ ) for installation dimensions that comply with DIN EN 1510.

The headband is made of extremely durable woven polyester and UV-resistant. The nets are fitted with a steel wire cable encased in plastic (13.20 m long) and can be used with all new net posts..

Other steel wire cable lengths available too.

In 2015 Huck Nets (UK) acquired Edwards Sports Products one of the oldest net brands in Europe

Edwards Tennis nets are also used at the current Tennis Grand Slam Tournament in Wimbledon 2019.

**Tennis nets with no rows of double mesh** in regulation ITF and DTB doubles court dimensions:  $12.72 \text{ m} \times 1.07 \text{ m}$  (imperial:  $42 \text{ ft} \times 3.5 \text{ ft}$ ), for installation dimensions that comply with DIN EN 1510.

No. 900 Knotted tennis net in 3 mm braided polyethylene.

Colour: ● £ 94.60 / each

No. 9000 Knotted tennis net in 3 mm braided polyethylene,

all sides taped.

Colour: ● £ 102.50 / each

Items 900 and 9000 can also be supplied with vinyl edging upon request (Edwards quality).

Singles court nets are also available upon request, tennis nets with integrated center strap see page 5.4.





No. 900 / No. 9000

**Important:** If longer steel cables are needed (especially for older sets of posts), please specify when ordering!





No. 803 / No. 8031



No. 8041

No. 8031-06

# **Tennis Nets**

**Tennis nets with no rows of double mesh** in regulation ITF and DTB doubles court dimensions: 12.72 m  $\times$  1.07 m (imperial: 42 ft  $\times$  3.5 ft), for installation dimensions that comply with DIN EN 1510.

No. 802	Knotless tennis net in approx. 2.3 mm high tenacity
---------	---

**polypropylene** (for leasure use).

Colour: ● £ 75.50 / each

# No. 803 Knotless tennis net in approx. 3 mm high tenacity polypropylene.

Colour: ● £ 94.60 / each

### No. 8031 Knotless tennis net in 3 mm polypropylene,

all sides taped.

Colour: ● £ 102.50 / each

## No. 8041 Extremely strong tennis net made to withstand the highest

demands featuring our proven **knotless** mesh, in **4 mm high tenacity polypropylene**, and **reinforced surround**.

Colour: ● £ 126.70 / each

"Merlin" represents the second generation of knotless square-meshed nets. It follows "Excalibur" and is designed to meet very high quality standards. In addition to standard quality features such as:

- the fixed mesh produced by our knotless manufacturing technique
- high dimensional stability
- optimum visibility with no rows of double mesh (most international tennis tournaments use single-mesh nets),

this net is made of thicker material and therefore heavier so it "falls" better.

# **No. 8081 "Excalibur"** tennis net in approx. 2.5 mm polyester.

Colour: • • £ 94.60 / each

**No. 8091** "**Merlin**" tennis net in approx. 3.5 mm polyester.

Colour: ● ● £ 146.40 / each


# All tennis nets can be fitted with a 5 mm Kevlar aramid fibre cable for a surcharge.

This avoids the problem of kinks forming in the steel cable when tennis nets are dismantled.

= 01 = green

 $\bullet$  = **06** = black

When ordering, please specify which colour you require! e.g. 8081-01 = Tennis net in green.









# **Tennis Nets**

No. 805

Tennis nets with rows of double mesh in regulation ITF and DTB doubles court dimensions: 12.72 m  $\times$  1.07 m (imperial: 42 ft  $\times$  3.5 ft), for installation dimensions that comply with DIN EN 1510.

Tennis net in approx. 3 mm braided polyethylene with No. 904 5 continuous rows of double mesh (handwoven).

> Colour: • • £ 143.60 / each

No. 9044 Tennis net in approx. 3 mm braided polyethylene with

5 continuous rows of double mesh (handwoven), and reinforced surround.

Colour: £ 157.10 / each

No. 904M Tennis net in approx. 3 mm braided polyethylene with

5 continuous rows of double mesh (turned down). £ 140.70 / each

Knotless tennis net in approx. 3 mm polypropylene.

Top with double mesh (handwoven).

Colour: £ 140.70 / each





No. 910



No. 9044

**Coated tennis nets** in regulation ITF and DTB doubles court dimensions: 12.72 m  $\times$  1.07 m (imperial: 42 ft  $\times$  3.5 ft) for installation dimensions that comply with DIN EN 1510.

No. 910 Knotless tennis net in approx. 4 mm coated polyester.

Netting guaranteed for 3 years.

Colour: £ 230.80 / each

= 01 = green ● = 06 = black

When ordering, please specify which colour you require! (e.g. 904-06)



# **Tennis Accessories**

No. 905	<b>Centre strap</b> made of white plastic-coated nylon. £ 5.10 / each
No. 9052	<b>Centre strap</b> made of 100% polyester with plastic snap buckle and stainless steel snap hooks.
	£ 10.70 / each
No. 9053	Integrated Centre strap like item 9052

No. 9053 Integrated Centre strap like item 9052 £ 14.10 / each

No. 906

Polyester net cord
with brass eyelets and lacing cords.
Easily fitted by any groundsman.

£ 40.60 / each

13.50 m long, with loops. £ 16.40 / each

No. 9085 As No. 908, but 13.20 m long.
£ 16.40 each

No. 9081 Tension cable in approx.

Galvanised, plastic-coated steel wire cable,

5 mm **Kevlar aramid fibre, 13.50 m** long with loops. £ 19.20/ each

**No. 9086** As No. 9081, but **13.20 m** long.

£ 19.20 / each

No. 907 Galvanised tensioning screw for item 905.

ritem 905. £ 12.40 / each

**No. 909 Ground anchor pin** (galvanised), for tennis net centre strap.

for tennis net centre strap. f. 9.60 / each

No. 9091 Aluminium ground sleeve for any



# **Ground Anchor System**

No. 21091


No. 908

This **ground anchor** consists of a 3 mm **stainless steel wire cable**, 40 cm long, and loop. It is knocked into the ground using a round bar, 45 cm long, and then removed.

When the cable loop is pulled, the anchor turns diagonally

in the ground becoming securely anchored.

**Resistance: approx. 100 kg** £ 37.20 / each



No. 21091



# **Tennis Court Drag Nets**

No. 913 Tennis court drag net in tried and tested plastic-coated

polyester with a mesh size of just  $2 \times 2$  cm. The small mesh size increases the efficiency of court maintenance without the need for a two-ply mesh.

Net size: approx. 2 m wide, 1.50 m long Complete with wooden bar and pull cord.

Colour: £ 104.70 / each

**No. 914 Spare net** for item 913.

Colour: • £ 47.30 / each

No. 917 Tennis court drag net

in coated 3 mm polyester with two-ply mesh.

Mesh size:  $4 \text{ cm} \times 4 \text{ cm}$ 

**Net size:** approx. 2 m wide, 1.50 m long. Complete with wooden bar and pull cord.

Colour: ● £ 98.50 / each


**No. 918 Spare net** for item 917.

Colour: ● £ 45.10 / each

**No. 916** Spare wooden bar, for item 913 + 917,

supplied in two parts with screws.

£ 42.30 / each





Pull cords with galvanised fasteners

# **Pull Cords**

**No. 9093 Pull cords** for tennis court drag nets in approx.

10 mm soft braided plastic. Length 3.50 m.

Galvanised fasteners on both ends.

Colour: • £ 5.40 / each

# No. 926R No. 915R No. 915-06, 916

# **Drag Nets on Rolls**

No. 924R Coated polyester material, approx 4 mm

for tennis drag nets.

Mesh size:  $4 \times 4$  cm

**Roll:** approx. 1.15 x 130 m = 149.50 m<sup>2</sup>

Weight per roll: approx. 69.90 kg Weight per m<sup>2</sup>: approx. 480 g

Colour: ● £ 2,439.90 / roll

Coated polyester material, approx. 3 mm

for tennis drag nets **Mesh size:** 4 × 4 cm

**Roll:** approx.  $1.50 \times 50 \text{ m} = 75 \text{ m}^2$ **Weight per roll:** approx. 34.50 kg

Weight per m<sup>2</sup>: approx. 460 g

Colour: ● £ 654.30 / roll

Close-meshed coated polyester netting

for tennis court drag nets.

Mesh:  $2 \times 2$  cm

**Rolls:** approx.  $2 \times 25 \text{ m} = 50 \text{ m}^2$ **Weight per roll:** 40 kg

Weight per m<sup>2</sup>: 800 g

Colour: ● £ 633.20 / roll

■ = 01 = green■ = 06 = black

# **Junior Tennis Nets with Posts**

### for a set of posts measuring $0.70 \times 6$ m:

No. 940 Set of freestanding posts. Tubular steel posts, galvanised in

gold, that fit together. Diameter approx. 25 mm.

Size: **0.70 × 6 m.** £ 112.00 / set

No. 934 Junior tennis net in approx. 1.5 mm high tenacity

polypropylene, mesh size 30 mm. Tarpaulin pouches at the sides, elastic net cord at the top **for rapid and optimal adjustment** 

of the net tension.

Size: approx. **0.70**  $\times$  **6 m.** 

Colour: ● £ 39.40 / each

No. 830 Junior Tennis net in rotproof polyethylene.

Size: approx. **0.70**  $\times$  **6 m.** 

Colour: • Green with white edging. £ 12.40 / each



No. 940 + No. 934

### for a set of posts measuring 0.70 $\times$ 3 m:

No. 941 Set of posts like item 940

but **0.70 × 3 m.** £ 92.30 / set

No. 935 Junior Tennis net, like item 934

but  $0.70 \times 3$  m.

Colour: ● £ 31.60 / each

No. 831 Junior Tennis net, like item 830

but  $0.70 \times 3$  m.

Colour: • Green with white edging. £ 10.70 / each

No. 636 Net ballast bag

made of small woven HDPE bands.

Ballast not included. £ 5.00 / each

No. 933 Junior Tennis net, in approx. 2.3 mm high tenacity polypropylene.

Size:  $0.80 \text{ m} \times 6 \text{ m}$ .

Colour: ● £ 49.00/ each



No. 941 + No. 831



For beach and street tennis equipment, see Beach & Fun on pages 9.9 and 9.10.







No. 220-01

# Standard Dividing Nets for indoor and outdoor tennis courts

### Additional features included in the price:

a) Steel wire cable, approx. 4 mm thick and 38 mm long, with a turnbuckle at each end.

- b) Lead cord weighting, 200 g per m, encased in PES webbing and attached to the net.
- c) Split nylon rings, 3 per m, attached to net.

No. 220 Dividing net in approx. 2.3 mm high tenacity polypropylene,

mesh size 4.5 cm. Dimensions: approx.  $40 \times 2.50$  m.

Colour: • • • •

£ 402.40 / panel

No. 221 Dividing net, like item 220

but  $40 \times 3$  m.

Colour: • • • •

£ 461,50 / panel

For indoor use, we recommend the color 015 dark green and 02 white. For **outdoor use** the color **01 green** and **06 black.** 

No. 2205 Freestanding telescopic support posts for standard

dividing nets. Fully adjustable between 2 and 3 m.

£ 32.10 / each

In order to protect the lower part of the net, items 2201 and 2211 have a strip of plastic-coated polyester, approx. 15 cm wide, along the bottom.

These nets do not have lead cord weighting.

No. 2201 Dividing net in approx. 2.3 mm

high tenacity polypropylene, mesh size 4.5 cm. Dimensions: approx.  $40 \times 2.50$  m. With a strip of plastic-coated polyester, **approx. 15 cm wide,** along the bottom.

Colour: • O •

£ 402.40 / panel

No. 2211

Dividing net like item 2201

but  $40 \times 3$  m.

Colour: • O •

£ 461.50 / panel

= 01 = green

● = 015 = dark green

 $\bigcirc$  = 02 = white

= 06 = black

When ordering, please specify which colour you require! (e.g. 220-015)







# Standard Dividing Nets with flame retardant finish

### Additional equipment included in the price:

a) Steel wire cable, approx 4 mm thick and 38 m long, with a turnbuckle at each end.

No. 220F Dividing net in 2.3 mm high tenacity polypropylene, in flame retardant finish.

> Mesh size approx 4.5 cm. Dimensions: approx.  $40 \times 2.50$  m £ 444.10 / each Colour: • O

b) Lead cord weighting, 200g per m, encased in PES webbing and attached to the net.

c) Split nylon rings, 3 per m, attached to the net.

No. 221F Dividing net like item 220F,

but  $40 \times 3$  m. Colour: • O

£ 511.60 / each

# **Dividing Nets in custom sizes**

No. 200-045 Safety net made of approx. 2.3 mm high tenacity

polypropylene, mesh size approx. 45 mm.

 $\pm 1.80 / m^2$ Colour: • • •

No. 200F045 Safety net made of approx. 2.3 mm high tenacity polypropylene, flame retardant finish,

mesh size approx. 45 mm.

Colour: • O  $\pm 4.00 / m^2$  For hanging and tensioning the nets, we recommend:

No. 2102 Steel wire cable, zinc-coated, 4 mm thick.

£ 1.20 / metre

No. 2103 Also:

Grommets and tensioning locks on

both sides for 4 mm cable £ 15.80 / surcharge

No. 2111 Lead cord encased in webbing fixed to net,

200g per metre.

£ 4.30 / metre

No. 2122 Split nylon rings, ø 9 mm, length 53 mm, width 30 mm, inner length 35 mm, black,

3 rings attached to net per metre.

£ 3.00 / metre

### **Surcharge for smaller nets:**

per single net

For each net below  $1 \text{ m}^2 + 200 \%$ For each net below  $5 \text{ m}^2 + 100 \%$ For each net below  $10 \text{ m}^2 + 35 \%$ For each net below 20 m<sup>2</sup> + 20 %





# **Tennis Court Surrounds and Indoor Panelling**

Our surrounds and indoor panelling are manufactured from breathable polyethylene and therefore do not damage fencing. Ideal for advertising.

Every surround is reinforced all round and comes with metal eyelets at a distance of ca. 50 cm. Snap hooks come with each surround.

No. 700 Standard tennis court surround, 200 g/m<sup>2</sup>, 12 m long,

2 m high, breathable. 56 snap hooks supplied loose with every surround.

Colour: £ 92.90 / each Colour: £ 104.20 / each

No. 712 Tennis court surround like item 700, 2 m high,.

> Colour: 8.20 / metre Colour: 9.30 / metre

No. 710 Tennis court surrounds/indoor panelling, 200 g/m<sup>2</sup>,

in any dimensions made of Polyethylene fabric.

Optional: a hollow seam, approx. 5 cm wide, along the bottom to hold a lead cord (see page 6.6).

Colour: • • • •  $6.00 \, / \, \text{m}^2$ Colour:  $6.10 \, / \, \text{m}^2$ Colour:  $6.70 \, / \, \text{m}^2$ 

No. 766 Tennis court surrounds/indoor panelling, 230 g/m<sup>2</sup>, opaque fabric in any dimensions made of monofilament

> Polyethylene fabric/tape. Colour:  $f = 6.90 / m^2$

# **Snap hooks**

No. 21210 **Galvanised snap hooks** for suspending tennis court surrounds. £ 9,50 / bag of 56

No. 2121 Spare snap hooks, galvanised. £ 0,17 / each

No. 21212 Plastic snap hooks for suspending

> tennis court surrounds £ 9.50 / bag of 56

No. 21211 Plastic snap hooks for suspending tennis court surrounds.

£ 0,17 / each NEW


We recommend our galvanised steel wire cables with cable eyes and a turnbuckle at both ends for suspending and tensioning the panelling. For other weighting and suspension accessories, see pages 6.5 and 6.6. No. 776 Tennis court surrounds/indoor panelling, 320 g per m<sup>2</sup>, in a particularly opaque,


flame-retardant fabric in Polyethylene monofilament/tape,


in any dimensions.


£  $9.45 / m^2$ Colour: • • • • •

(Cream colour does NOT have flame retardant finish)









= 010 = green

= 07 = red

= 76 = terracotta

 = 015 = dakr green ○ = 02 = white

= 03 = orange = 86 = cream

 $\bullet$  = 65 = anthracite (dark-gray)

= 04 = blue

= 66 = silver

When ordering, please specify which colour you require! (e.g. 700-015)

Surcharges for smaller surrounds for each item 710, 766 and item 776:

surrounds below  $1 \text{ m}^2 + 200 \%$ 

surrounds below  $5 \text{ m}^2 + 100 \%$ 

surrounds below 10 m<sup>2</sup> + 35 %

surrounds below 20 m<sup>2</sup> + 20 %

# Printed Advertising on HUCK Tennis Court Surrounds using special weatherproof dye.

The lettering is airbrushed.

Before each job, you will receive a proof to scale, showing you how your printing will look.

### Standard typeface: Helvetica characters

No. 7610:1 line, HelveticaPrice on requestNo. 7620:2 line, HelveticaPrice on requestNo. 7630:3 line, HelveticaPrice on request

# Wilhelm Bungert Sanitär - Heizung

Gottfried-von-Cramm-Straße 12 • Tel. 23 45 67

Surround with 3-line advertisement

# **Individual Designs**



Tennis court surround individually designed to meet your requirements


For the artwork, we require a vectorised file (EPS format), where possible.

Files can be e-mailed directly to: sports@hucknetting.co.uk


The **special ink** used is **weather-resistant**, but cannot be guaranteed against wear and tear.



# **Product Information**







high tenacity polypropylene, approx. 2.3 mm.

**No. 200** Dark green, knotless high tenacity polypropylene, approx. 2.3 mm.










high tenacity polypropylene, approx. 2.3 mm.

No. 201 Black, knotless high tenacity polypropylene, approx. 1.8 mm.

No. 201 White, knotless high tenacity polypropylene, approx. 1.8 mm.










high tenacity polypropylene, approx. 1.5 mm.

high tenacity polypropylene, approx. 2.8 mm.

No. 207 Violet, knotless high tenacity polypropylene, approx. 3.5 mm.








No. 209 Green, knotless high tenacity polypropylene, approx. 3 mm.


high tenacity polypropylene, approx. 3 mm.

No. 209 Blue, knotless high tenacity polypropylene, approx. 3 mm.

# **Product Information**



high tenacity polypropylene, approx. 3 mm.



**No. 210** White, knotless high polyester, approx. 4 mm.



No. 212 Green, knotless high tenacity polypropylene, approx. 5 mm.



No. 212 Grey, knotless high tenacity polypropylene, approx. 5 mm.




No. 212 Orange, knotless high tenacity polypropylene, approx. 5 mm.



No. 212 Blue, knotless high tenacity polypropylene, approx. 5 mm.




**No. 212** Black, knotless high tenacity polypropylene, approx. 5 mm.




**No. 212** Red, knotless high tenacity polypropylene, approx. 5 mm.




**No. 213** White, knotless high tenacity polypropylene, approx. 6 mm.



 $high\ tenacity\ polypropylene,\ approx.\ 4\ mm.$ 



high tenacity polypropylene, approx. 4 mm.



No. 216 White, knotless polyester,approx. 3 mm.

# Material diameter of 1.5 – 2.8 mm

1203-010         PP high tenacity, knotless         1.5 diamond mesh         10         ●         £5.70           203-020         PP high tenacity, knotless         1.5         20         ●         £2.00           203-028         PP high tenacity, knotless         1.5         28         ●         £3.30           203-030         PP high tenacity, knotless         1.5         30         ●         £3.00           203-050         PP high tenacity, knotless         1.5         50         ●         £1.00           203-060         PP high tenacity, knotless         1.5         60         ●         £2.00           203-100         PP high tenacity, knotless         1.5         100         ●         £0.60           201-020         PP high tenacity, knotless         1.8         20         ●         £5.00           201-025         PP high tenacity, knotless         1.8         30         ●         £4.00           200-020         PP high tenacity, knotless         2.3         25         ●         £3.50           200-025         PP high tenacity, knotless         2.3         30         ●         £4.00           200-025         PP high tenacity, knotless         2.3         35         ●         <	ArtNo.	Description	Diameter approx. mm	Mesh size mm	Colour	£/m²
203-028       PP high tenacity, knotless       1.5       28       €       £3.30         203-030       PP high tenacity, knotless       1.5       30       ●       £3.00         203-050       PP high tenacity, knotless       1.5       50       ●       £1.00         203-060       PP high tenacity, knotless       1.5       60       ●       £2.00         203-100       PP high tenacity, knotless       1.8       20       ●       £5.00         201-020       PP high tenacity, knotless       1.8       25       ●       £2.50         201-025       PP high tenacity, knotless       1.8       30       ●       £4.00         200-020       PP high tenacity, knotless       2.3       20       ●       ●       £3.50         200-025       PP high tenacity, knotless       2.3       25       ●       £3.50         200-035       PP high tenacity, knotless       2.3       30       ●       £4.40         200-045       PP high tenacity, knotless       2.3       35       ●       £4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       £1.80         200-120       PP high tenacity, knotless       2.3 <td>1203-010</td> <td>PP high tenacity, knotless (*)</td> <td>1.5 diamond mesh</td> <td>10</td> <td>•</td> <td>£ 5.70</td>	1203-010	PP high tenacity, knotless (*)	1.5 diamond mesh	10	•	£ 5.70
203-030       PP high tenacity, knotless       1.5       30       •       £3.00         203-050       PP high tenacity, knotless       1.5       50       •       £1.00         203-060       PP high tenacity, knotless       1.5       60       •       £2.00         203-100       PP high tenacity, knotless       1.5       100       •       £0.60         201-020       PP high tenacity, knotless       1.8       20       •       £5.00         201-025       PP high tenacity, knotless       1.8       30       •       £4.00         200-030       PP high tenacity, knotless       2.3       20       •       •       £3.50         200-025       PP high tenacity, knotless       2.3       25       •       £3.50         200-035       PP high tenacity, knotless       2.3       30       •       £4.00         200-035       PP high tenacity, knotless       2.3       35       •       £4.40         200-045       PP high tenacity, knotless       2.3       45       •       •       £1.80         200-100       PP high tenacity, knotless       2.3       100       •       •       £1.20         200-120       PP high tenacity, knotless <td>203-020</td> <td>PP high tenacity, knotless</td> <td>1.5</td> <td>20</td> <td>•</td> <td>£ 2.00</td>	203-020	PP high tenacity, knotless	1.5	20	•	£ 2.00
203-050       PP high tenacity, knotless       1.5       50       ●       £ 1.00         203-060       PP high tenacity, knotless       1.5       60       ●       £ 2.00         203-100       PP high tenacity, knotless       1.5       100       ●       £ 0.60         201-020       PP high tenacity, knotless       1.8       20       ●       £ 5.00         201-025       PP high tenacity, knotless       1.8       25       ●       £ 2.50         201-030       PP high tenacity, knotless       1.8       30       ●       £ 4.00         200-020       PP high tenacity, knotless       2.3       20       ●       ●       £ 3.50         200-025       PP high tenacity, knotless       2.3       25       ●       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       ●       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       £ 1.20         200-100       PP high tenacity, knotless       2.3       100       ●       ●       £ 1.20         205-100       PP high tenacity,	203-028	PP high tenacity, knotless	1.5	28	•	£ 3.30
203-060       PP high tenacity, knotless       1.5       60       € 2.00         203-100       PP high tenacity, knotless       1.5       100       €       £ 0.60         201-020       PP high tenacity, knotless       1.8       20       ●       £ 5.00         201-025       PP high tenacity, knotless       1.8       25       ●       £ 2.50         201-030       PP high tenacity, knotless       1.8       30       ●       £ 4.00         200-020       PP high tenacity, knotless       2.3       20       ●       ●       € 4.00         200-025       PP high tenacity, knotless       2.3       25       ●       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       ●       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       £ 1.80         200-100       PP high tenacity, knotless       2.3       100       ●       ●       £ 1.20         205-100       PP high tenacity, knotless       2.3       120       ●       ●       £ 1.20         205-100       PP high tenacity,	203-030	PP high tenacity, knotless	1.5	30	○ ●	£ 3.00
203-100 PP high tenacity, knotless 1.5 100	203-050	PP high tenacity, knotless	1.5	50	•	£ 1.00
201-020       PP high tenacity, knotless       1.8       20       ●       £ 5.00         201-025       PP high tenacity, knotless       1.8       25       ●       £ 2.50         201-030       PP high tenacity, knotless       1.8       30       ●       £ 4.00         200-020       PP high tenacity, knotless       2.3       20       ●       ●       £ 4.00         200-025       PP high tenacity, knotless       2.3       25       ●       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       ●       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       £ 1.80         200-100       PP high tenacity, knotless       2.3       100       ●       ●       £ 1.20         200-120       PP high tenacity, knotless       2.3       120       ●       ●       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       ●       ●       £ 2.20	203-060	PP high tenacity, knotless	1.5	60	•	£ 2.00
201-025       PP high tenacity, knotless       1.8       25       ●       £ 2.50         201-030       PP high tenacity, knotless       1.8       30       ●       £ 4.00         200-020       PP high tenacity, knotless       2.3       20       ●       ●       ●       £ 4.00         200-025       PP high tenacity, knotless       2.3       25       ●       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       ●       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       £ 1.80         200-100       PP high tenacity, knotless       2.3       100       ●       ●       £ 1.20         200-120       PP high tenacity, knotless       2.3       120       ●       ●       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       ●       ●       £ 2.20	203-100	PP high tenacity, knotless	1.5	100	•	£ 0.60
201-030       PP high tenacity, knotless       1.8       30       ●       £ 4.00         200-020       PP high tenacity, knotless       2.3       20       ● ● ● ● ● ● ● ● ● ● ● ● € € € 4.00         200-025       PP high tenacity, knotless       2.3       25       ●       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       ● ● ● ● ● ● € 5.00         200-035       PP high tenacity, knotless       2.3       35       ● ● ● ● ● ● ● € 1.80         200-045       PP high tenacity, knotless       2.3       45       ● ● ● ● ● ● ● ● ● € 1.80         200-100       PP high tenacity, knotless       2.3       100       ● ● ● ● ● ● ● ● ● ● ● € 1.10         200-120       PP high tenacity, knotless       2.3       120       ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	201-020	PP high tenacity, knotless	1.8	20	○ ●	£ 5.00
200-020       PP high tenacity, knotless       2.3       20       • • • • • • • • • £ 4.00         200-025       PP high tenacity, knotless       2.3       25       • £ 3.50         200-030       PP high tenacity, knotless       2.3       30       • • • • • £ 5.00         200-035       PP high tenacity, knotless       2.3       35       • • • • • £ 4.40         200-045       PP high tenacity, knotless       2.3       45       • • • • • • • £ 1.80         200-100       PP high tenacity, knotless       2.3       100       • • • • • • £ 1.10         205-100       PP high tenacity, knotless       2.8       100       • • • • • £ 2.20	201-025	PP high tenacity, knotless	1.8	25	• •	£ 2.50
200-025       PP high tenacity, knotless       2.3       25       •       £ 3.50         200-030       PP high tenacity, knotless       2.3       30       •       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       •       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       •       •       £ 1.80         200-100       PP high tenacity, knotless       2.3       100       •       •       £ 1.20         200-120       PP high tenacity, knotless       2.3       120       •       •       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       •       •       £ 2.20	201-030	PP high tenacity, knotless	1.8	30	•	£ 4.00
200-030       PP high tenacity, knotless       2.3       30       ●       £ 5.00         200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       € 1.80         200-100       PP high tenacity, knotless       2.3       100       ●       ●       € 1.20         200-120       PP high tenacity, knotless       2.3       120       ●       ●       € 1.10         205-100       PP high tenacity, knotless       2.8       100       ●       € 2.20	200-020	PP high tenacity, knotless	2.3	20	• • • • •	£ 4.00
200-035       PP high tenacity, knotless       2.3       35       ●       £ 4.40         200-045       PP high tenacity, knotless       2.3       45       ●       ●       ●       £ 1.80         200-100       PP high tenacity, knotless       2.3       100       ●       ●       £ 1.20         200-120       PP high tenacity, knotless       2.3       120       ●       ●       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       ●       € 2.20	200-025	PP high tenacity, knotless	2.3	25	•	£ 3.50
200-045       PP high tenacity, knotless       2.3       45       • • • • • • • £ 1.80         200-100       PP high tenacity, knotless       2.3       100       • • • • • • £ 1.20         200-120       PP high tenacity, knotless       2.3       120       • • • • • • £ 1.10         205-100       PP high tenacity, knotless       2.8       100       • • • • • £ 2.20	200-030	PP high tenacity, knotless	2.3	30	○ ●	£ 5.00
200-100       PP high tenacity, knotless       2.3       100       • • •       £ 1.20         200-120       PP high tenacity, knotless       2.3       120       • • • •       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       • • •       £ 2.20	200-035	PP high tenacity, knotless	2.3	35	○ ●	£ 4.40
200-120       PP high tenacity, knotless       2.3       120       ● ○ ●       £ 1.10         205-100       PP high tenacity, knotless       2.8       100       ●       £ 2.20	200-045	PP high tenacity, knotless	2.3	45	• • • •	£ 1.80
<b>205-100</b> PP high tenacity, knotless 2.8 100 • £ 2.20	200-100	PP high tenacity, knotless	2.3	100	• • •	£ 1.20
	200-120	PP high tenacity, knotless	2.3	120	• • • •	£ 1.10
<b>205-120</b> PP high tenacity, knotless 2.8 120 • £ 2.00	205-100	PP high tenacity, knotless	2.8	100	•	£ 2.20
	205-120	PP high tenacity, knotless	2.8	120	•	£ 2.00

# Material diameter of 3 - 3.5 mm

209-030	PP high tenacity, knotless (NEW)	3	30	•	£ 6.30
209-045	PP high tenacity, knotless	3	45	• • • • • • •	£ 3.10
209-100	PP high tenacity, knotless	3	100	• • • • •	£ 1.70
209-120	PP high tenacity, knotless	3	120	• • •	£ 1.60
216-035	Polyester, knotless	3	35	0	£ 8.30
216-045	Polyester, knotless	3	45	0	£ 7.10
216-100	Polyester, knotless	3	100	0	£ 3.00
216-130	Polyester, knotless	3	130	0	£ 3.00
207-045	PP high tenacity, knotless	3.5	45	• • (**)	£ 6.00
207-100	PP high tenacity, knotless	3.5	100	• • (**)	£ 3.00
207-120	PP high tenacity, knotless	3.5	120	• (**)	£ 2.60

 $\textbf{Surcharge for smaller quantities} \ \text{per net:} \quad \text{under 1 } \text{m}^2 + 200 \ \% \ | \ \text{under 5 } \text{m}^2 + 100 \ \% \ | \ \text{under 10 } \text{m}^2 + 35 \ \% \ | \ \text{under 20 } \text{m}^2 + 20 \ \%$ 

Polypropylene is recommended for outdoor use.

All nets have a fixed selvage of approx. 5-7 mm included in the price per square metre (\*).

- (\*) except item 1203-010 in black
- (\*) Item 1203-010 in black = diagonal mesh design, cut lengths only.
- (\*\*) Item no. 207 in purple, while stocks last.

When ordering loose hanging nets, the required length must be increased by the following amounts based on the mesh size: a) Mesh of up to 45 mm + 20% b) Mesh of 60 mm + 10% c) Mesh of 110 mm + 10%.

# Material diameter of 4 – 4.5 mm

ArtNo.	Description	Diameter approx. mm	Mesh size mm	Colour	£/m²
210-035	Polyester, knotless	4	35	0	£ 10.50
210-045	Polyester, knotless	4	45	0	£ 7.60
210-100	Polyester, knotless	4	100	0	£ 4.10
210-120	Polyester, knotless	4	120	0	£ 3.50
215-030	PP high tenacity, knotless	4	30	• •	£ 9.60
215-045	PP high tenacity, knotless	4	45	• • • • •	£ 7.20
215-100	PP high tenacity, knotless	4	100	• • • • • •	£ 3.90
215-120	PP high tenacity, knotless	4	120	• • • • •	£ 3.10
215-120	PP high tenacity, knotlesss	4	120	$\bullet$ $\bullet$ $\bullet$ $\bullet$ $\bullet$	£ 3.50
214-045	PP high tenacity, knotless	4.2	45	•	£ 7.50

# Material diameter of 5 – 6 mm

212-030	PP high tenacity, knotless (NEW)	5	30	• •	£ 11.20
212-045	PP high tenacity, knotless	5	45	• • • • • •	£ 7.80
212-060	PP high tenacity, knotless	5	60	• • • •	£ 7.20
212-070	PP high tenacity, knotlesss	5	70	• •	£ 6.90
212-100	PP high tenacity, knotless	5	100	• • • • • • •	£ 3.00
212-120	PP high tenacity, knotless	5	120	• 0	£ 3.00
213-100	PP high tenacity, knotless	6	100	0	£ 10.70

# **Polyamide nets**



204-020	Polyamide	2	20	•	£ 8.60
208-038	Polyamide	3.5	38	•	£ 8.60
219-050	Polyamide	4.5	50	•	£ 9.60
219-100	Polyamide	4.5	100	•	£ 4.90

# **Colour Index**

- = 01 = green
- = 07 = red

- = 015 = dark green
- = 08 = hemp
- = 42 = blue/white

- = 02 = white
- coloured

- = 09 = violet

- = 03 = orange
- = 45 = blue/yellow

- = 04 = blue
- $\bullet$  = 65 = gray  $\sqrt{EV}$

- = 05 = yellow
- **•••** = 4F (in one net)

● = 65 = black/yellow

= 06 = black

= 67 = black/red

If nets made to special requirements have a square mesh, it is **technically** impossible to supply all net sizes without a seam.

All nets are manufactured with diagonal mesh to the greatest possible width and then converted to square mesh.

The resulting seams cannot be avoided for technical reasons and do not reduce the quality of the net.

When ordering, please specify which colour you require.

(e.g. 212-100-**07** = PP high tenacity, approx. 5 mm, mesh 100 mm, **red**)

**Huck Nets = high quality** 





# Standard Stop Nets, single-coloured

Safety and stop nets supplied by the metre in any length. Width: 5 m.

No. 2140-120 **High tenacity polypropylene**, approx. **3 mm**, mesh size 12 cm.

 $£2.00 \text{ m}^2$ 

No. 2142-120 **High tenacity polypropylene,** approx. **4 mm,** mesh size 12 cm. Colour:

£3.00 m<sup>2</sup>

# Standard Stop Nets, two-coloured

Safety and stop nets supplied by the metre in any length.

No. 215-120 High tenacity polypropylene, approx. 4 mm ø,

mesh-size 12 cm.

Colour: O O O  $£3.50 \, m^2$ 

### Surcharge for smaller quantities:

per net

Nets under  $1 \text{ m}^2 + 200 \%$  | under  $5 \text{ m}^2 + 100 \%$  | under  $10 \text{ m}^2 + 35 \%$  | under  $20 \text{ m}^2 + 20 \%$ 

# **Net Edge Cords**

a) Incorporated in the net		b) Supplied loose			
No. 2130	<b>Polyethylene rope</b> , 6 mm Colour: ● ●	£0.70 metre	No. 21300	Polyethylene rope, 6 mm Colour: ● ●	£0.50 metre
No. 2131	<b>Nylon rope,</b> 5 mm Colour: ○	£0.70 metre	No. 21310	<b>Nylon cord,</b> 5 mm Colour: ○	£0.50 metre
No. 2132	<b>Nylon rope,</b> 8 mm Colour: ○	£1.20 metre	No. 21320	<b>Nylon rope,</b> 8 mm Colour: ○	£0.80 metre
No. 2136	<b>Nylon rope,</b> 12 mm Colour: ○	£1.80 metre	No. 21360	<b>Nylon rope,</b> 12 mm Colour: ○	£1.50 metre

### All nets have a fixed selvage of approx. 5 – 7 mm included in the price per square metre.

See pages 6.1 and 6.2 for details of our safety and stop net materials and colours.

= 01 = green

 $\bigcirc$  = 02 = white

● = 65 = black/yellow

= 03 = orange

= 67 = black/red

● = 06 = black = 45 = blue/yellow

When ordering, please specify which colour you require. (e.g. 2130-06 = PE rope, approx. 6 mm, black)

# All safety and stop nets can be supplied with the following features:

For tensioning and suspension of our nets, we recommend our galvanised steel wire cables with cable eyes and a turnbuckle at each end:

Galvanised steel wire cable, 6 mm.	£1.60 metre
Plus cable eyes and turnbuckle at both ends of the 6 mm cable.	(10 60 outra chargo
	£19.60 extra charge
Galvanised steel wire cable, 4 mm.	
	£1.20 metre
Plus cable eyes and turnbuckle at both ends of the 4 mm cable.	
	£15.80 extra charge
Steel wire cable, <b>PVC-coated</b> ,	215.00 CATTA CHAINGE
5/7 mm thick	£1.70 metre
Steel wire cable, <b>PVC-coated</b> ,	
4/5 mm thick	£1.70 metre
Stool wire cable <b>DVC-coated</b>	
3/4 mm thick	£1.40 metre
	Plus cable eyes and turnbuckle at both ends of the 6 mm cable.  Galvanised steel wire cable, 4 mm.  Plus cable eyes and turnbuckle at both ends of the 4 mm cable.  Steel wire cable, <b>PVC-coated</b> , 5/7 mm thick  Steel wire cable, <b>PVC-coated</b> , 4/5 mm thick

For weighting our nets,
a lead cord encased in webbing and attached to the net:

No. 2110	Weight 400 g per metre.	£5.40 metre
No. 2111	Weight 200 g per metre.	£4.30 metre
No. 2112	Lead cord weighting, 200 g per metre.	


attached to the net without webbing. £2.70 metre

### For suspending nets so that they move freely on the steel wire cable:

No. 2122 No. 2123	Split nylon rings, 9 mm in diameter, 30 mm wide, inside length 35 mm, b	olack, 3 rings
	attached to the net per metre.  Split nylon rings, loose.	£3.00 metro £0.60 each

### For additional protection and for securing nets to existing borders or straps:

No. 2116	Net surround made of poly (50 mm wide when folded	ester webbing, 100 mm wide. back)
	Colour: O	£4.00 metre





# **Universal Barrier Fencing**

Quick and economical to erect and easy to transport, this barrier fencing is ideal for marking out boundaries at sports events.

It is made of breathable lightweight material, requires very little space for storage and transport and is easily moved. No posts necessary.

No. 7010-01 **Barrier fence** made of green UV-resistant polyethylene. The posts are made of flexible fibreglass-reinforced polyester, 9 mm in diameter and woven into the material

so they cannot be lost.

Length of fence 20 m Fence height (fabric) 80 cm Length of pole 1.10 m Distance between poles 1.80 m Total weight 3.30 kg Complete with 4 ground anchors and tension cords for securing the corners.



£86.10 each



No. 7010-01





# Partition /Ceiling Nets for Gymnasiums

Partitioning Nets for Gymnasiums:

Safety net in approx. 3 mm polyester. No. 216-045

Mesh size 45 mm.

Farbe: O £7.10 m<sup>2</sup>

No. 209-045 Safety net in approx. 3 mm high tenacity

polypropylene. Mesh size 45 mm.

Farbe: • O • •  $£3.00 \text{ m}^2$ 

Ceiling Nets for Gymnasiums:

No. 200-045 Safety net in approx. 2.3 mm high tenacity

polypropylene. Mesh size 45 mm.

Colour: ○ ●  $£1.80 \text{ m}^2$ 

No. 200-100 Safety net made of approx. 2.3 mm high tenacity

polypropylene. Mesh size 100 mm.

£1.10  $m^2$ Colour: • O •

No. 200-120 Safety net made of approx. 2.3 mm high tenacity

**polypropylene.** Mesh size 120 mm.

Colour: • • • • £1.20 m<sup>2</sup>



See page 9.13 + 9.14 for nets for small outdoor playing areas.

### Surcharge for smaller quantities:

per net:

nets under  $1 \text{ m}^2 + 200 \%$ 

nets under  $5 \text{ m}^2 + 100 \%$ 

nets under  $10 \text{ m}^2 + 35 \%$ 

nets under 20 m<sup>2</sup> + 20 %

# Colour table

= 01 = green

○ = 02 = white

= 06 = black

● = 015 = dark green • = 04 = blue

= 08 = cream

When ordering, please specify which colour you require.

(e.g. 200-120-**04** = PP high tenacity, approx. 2.3 mm, mesh 100 mm, **blue**)

See pages 6.3 and 6.4 for other materials and colours.



No. 200F045-015 + No. 775-015

# **Partition Curtains for Gymnasiums**

The lower section of net can be replaced by breathable fabric to make them more opaque.

No. 200-045 Safety net in approx. 2.3 mm high tenacity

**polypropylene.** Mesh size 45 mm.

Colour: ● ● ○ ● £1.80 m<sup>2</sup>

No. 720A Breathable plastic tarpaulin in double-ribbed polyethylene

**fabric,** approx. **200 g/m²**, reinforced with tape all around.

Colour: • • • • £5.20 m<sup>2</sup>
Colour: • £5.90 m<sup>2</sup>

No. 7222 Tarpaulin 720A attached/sewn

on to safety net 200-045. £5.10 metre

Nets with tarpaulins (blue) available on request

# ... with flame-retardant properties

The nets and sheets have been tested and meet the requirements of DIN 4102 (highly fire-resistant material).

No. 200F045 Flame-retardant safety net in approx. 2.3 mm high tenacity

**polypropylene.** Mesh size approx. 45 mm.
Colour ● ○ ● £4.00 m<sup>2</sup>

No. 7710 Breathable plastic tarpaulin in high tenacity polypropylene,

approx. **510 g/m²** in tightly woven, flame-retardant fabric,

and selvedge all the way round.

Colour: 

£14.10 m<sup>2</sup>

No. 775 Breathable plastic tarpaulin in high tenacity polypropylene,

approx. **320 g/m²**, flame-retardant fabric,

and selvedge all the way round.

Colour: • • £8.70 m²

No. 7222 Tarpaulin 7710/775 attached/sewn

on to safety net 200F045. £5.10 metre

As these combinations of netting and tarpaulin have to be manufactured individually for each sports hall, please enquire about an entire solution **in advance.** 

The nets/tarpaulins are not the same size as the area to be covered and the actual size you require must be calculated first.

# Net weighting

attached to the net with a lead cord inside a band:

No. 2110 per metre 400 g weight £5.40 metre

No. 2111 per metre 200 g weight £4.30 metre

# **Play Area Safety Net**

Nets are the ideal way to secure all sorts of play areas from ball pools to multi-trampoline facilities. We supply our knotless netting in a variety of colours to suit every facility.

### We recommend:

No. 209-045 Knotless net made of approx. 3 mm high tenacity

polypropylene, mesh size 45 mm.

No. 209-045 Knotless net made of approx. 3 mm high tenacity

polypropylene, mesh size 45 mm.

Colour: 4F (4coloured) £6.50 m<sup>2</sup>



No. 209-045-05 Play Area Safety Net

,No-Climb' nets makes the nets more difficult to climb, thus providing additional safety.

No. 204F008 Knotless netting in approx 1.8 mm PES, mesh size approx.


8 mm, hexagonal, **in flame-retardant finish.**Colour: £9.50 m<sup>2</sup>

No. 203-008 Knotless netting in approx. 1.5 mm Polypropylene high

**tenacity**, mesh size approx. 8 mm, hexagonal.

Colour: • £8.40 m<sup>2</sup>

Items 204F008 and 203-008 in hexagonal mesh size are only cut and can be edged with a band on request.



No. 203-008-06

### **Children love colours!**

So we have designed a net that is blue, red, yellow and green.

It is totally safe and really stands out making it an attraction in itself!

**No. 209-045 Knotless net** made of approx. 3 mm high tenacity

polypropylene, mesh size 45 mm.

Colour: 4F (4coloured) £3.00 m<sup>2</sup>

No. 209S045 Stiff knotless netting in approx. 3 mm high tenacity


polypropylene, mesh size 45 mm.

Farbe: 4F (4coloured) £6.10 m<sup>2</sup>

No. 209F045 Knotless netting in approx. 3 mm high tenacity polypropylene,

mesh size 45 mm, in flame retardant finish.

Farbe: 4F (4coloured) £6.00 m<sup>2</sup>



No. 209F045-4F

### Surcharge for smaller nets:

per individual net

nets under  $1 \text{ m}^2 + 200 \%$ 

nets under  $5 \text{ m}^2 + 100 \%$ 

nets under  $10 \text{ m}^2 + 35 \%$ 

nets under  $20 \text{ m}^2 + 20 \%$ 



# Flame-retardant Safety Nets

These knotless nettings in different colours and with **flame-retardant** properties are an important new development in that respect.

These safety nets can also be used outdoors without losing their flame-retardant properties.

The nets have been tested and meet the requirements of DIN 4102 resp. EN 13501-1 (highly fire-resistant material).

No.	Material	Diameter approx. mm	Mesh size approx. mm	Colour	£/m²
203F050	Polypropylene	1.5	50	•	£ 2.90
200F025	Polypropylene	2.3	25	• 0 •	£ 8.50
200F045	Polypropylene	2.3	45	• 0 • •	£ 4.00
209F045	Polypropylene	3	45	• 0 • •	£ 6.00
212F045	Polypropylene	5	45	• 0 •	£ 9.80
212F060	Polypropylene	5	60	•	£ 9.00
212F100	Polypropylene	5	100	• 0	£ 5.30
202PSF023	Polyester	1	23	0 •	£ 4.00



# **Colour Index**

• = 01 = green

= 04 = blue

= 07 = red

● = 015 = dark green

= 05 = yellow

= 08 = hemp coloured

○ = 02 = white

● = 06 = black

= 4F (in one net)

When ordering, please specify which colour you require.

e.g. 212F100-01 = PP high tenacity, approx. 5 mm, mesh 100 mm, green

 $\label{lem:continuous} \textbf{Surcharge for smaller quantities:}$ 

per net

net under  $1 \text{ m}^2 + 200 \%$ 

net under  $5 \text{ m}^2 + 100 \%$ 

net under  $10 \text{ m}^2 + 35 \%$ net under  $20 \text{ m}^2 + 20 \%$ 





# **Basketball Nets**

Competition nets conforming to DIN EN 1270 in regulation dimensions: 50 cm long (40 cm when fitted).

### Our competition nets were developed in cooperation with the Technical Standards Committee for Sports and Leisure Equipment.

The net is designed to reduce basketball velocity, thereby ensuring scoring visibility.

No. 224 Basketball net in approx. 4 mm braided nylon

conforming to DIN EN 1270.

Colour: O £4.50 each

No. 225 Basketball net in approx. 6 mm braided nylon

conforming to DIN EN 1270.

Colour: O £6.60 each

Anti-whip basketball net in approx. 6 mm braided polyester. No. 226

The suspension loops have a certain rigidity which prevents the

net whipping back.

Colour: O £7.00 each



Our recreational and practice nets are a lighter version of our **competition nets.** We recommend these nets for outdoor games.

Basketball net in approx. 3 mm polyethylene cord. No. 222 £2.90 each

Colour: O

No. 223 Basketball net in approx. 3 mm braided nylon. £2.90 each Colour: O

No. 227 Three-colour basketball net in approx. 4 mm braided polypropylene.

three-coloured: £4.50 each

No. 4677-2 Basketball net, resistant to cuts and tears,

in **5 mm** Hercules rope.

£64.80 each Colour:







No. 4677-2-01

No. 4677-2-06



No. 1471-02



The Huck ice hockey goal nets used at the 2004 World Championships in the Czech Republic



Approved by the IIHF

No. 147 Goal net in approx. 4 mm polyester, 35 mm mesh

(diamond), width 1.93, height 1.22 m, top depth 0.50 m, bottom depth 1 m, with additional 0.45 m arcs on each side.

Colour: O £171.10 pair

No. 1471 Goal net in approx. 4.2 mm polyester, 30 mm mesh

(square), width 1.93 m, height 1.22 m, top depth 0.50 m,

bottom depth 1 m, with incorporated roof.

Colour: O £197.00 pair

# Ice Hockey Spectator Safety Nets

No. 209-030 Spectator safety net in approx. 3 mm high tenacity

**polyproylene**, 30 mm mesh.

Colour: ● £6.30 m<sup>2</sup>

No. 210-035 Spectator safety net in approx. 4 mm polyester,

35 mm mesh.

Colour: O £10.50 m<sup>2</sup>

No. 216-035 Spectator safety net in approx. 3 mm polyester,

35 mm mesh.

Colour:  $\bigcirc$  £8.30 m<sup>2</sup>

# Ice Hockey Goal Catch Nets

No. 141 Catch net in approx. 3 mm polyester, 35 mm mesh.

Dimensions:  $1.93 \times 1.30$  m.

Colour: O £51.80 pair

**No. 146** Catch net in approx. **4 mm polyester**, 35 mm mesh.

Dimensions: 1.93 m  $\times$  1.30 m.

Colour: O £71.00 per pair

= 01 = green

● = 06 = black

○ = **02** = white

= 3F = three-coloured

When ordering, please specify which colour you require! (e.g. 147-02)



Surcharge for smaller quantities (each net):

(Spectator safety nets)

net under  $1 \text{ m}^2 + 200 \%$ 

net under  $5 \text{ m}^2 + 100 \%$ 

net under  $10 \text{ m}^2 + 35 \%$ net under  $20 \text{ m}^2 + 20 \%$ 

**Please also refer to the product information on pages 6.1 and 6.2.** When ordering loose hanging nets, the required length must be increased by approx. 20 %.





No 120-01

# Cycle Ball Goal Net

No. 120 Goal net in approx. 3 mm high tenacity polypropylene, 2 m high, 2 m wide, 80 cm deep,

with a **mesh size of 10 cm.** 

Colour: • £45.60 pair

# Cycle Polo Goal Net

No. 121 Goal net in approx. 3 mm high tenacity polypropylene, 2 m high, 2 m wide, 80 cm deep,

with a **mesh size of 4.50 cm.** 

Colour: • £94.60 pair

If you require another depth to comply with the new cycle ball regulations (between 30 and 60 cm at the top and between 60 and 80 cm at the bottom), please contact us stating the exact specifications of the goal.

# **Water Polo Goal Nets**

No. 116

No. 115 Goal net in approx. 3 mm high tenacity polypropylene,

width 3 m, height 1 m, depth 80 cm.

Colour:

Goal net in approx. 4 mm high tenacity polypropylene,

£41.70 pair

width 3 m, height 1 m, depth 80 cm.

Colour: • £64.60 pair



No. 115-01

# **Nets for Indiaca and Deck Tennis**

**No. 506 Deck tennis and indiaca training net**, dimensions: 6 m wide and 50cm high. Can also be used as a prellball net.Made from

approx. 2.3 mm polypropylene. £19.70 each

No. 507 Indiaca tournament net, meets Deutschen Turnerbundes (DTB) (German Tournament Association) standards, in

dimensions 6.50 m wide and 1 m high. Mesh size: 45 mm,
Material: high tenacity polypropylene, approx. 2.3 mm thick.
With soft polyester trim and 11.70 m long Kevlar rope.

Colour: • £57.40 each

No. 520 29 mm powder-coated tubular steel posts in three parts

with adjustable tension cords and 4 ground anchors.

For badminton, Indiaca and deck tennis.

Maximum post height: 2.45 m £73.20 set

We recommend using item 5023 to support indiaca tournament nets (see page 3.6).





Sand pit cover for Landing pit

# **Sand Pit Cover**

lo. 791	Woven polyester mesh, approx.	450 g per m <sup>2</sup> ,
	troten poryester mesn, approx	,

with hemstitch all the way round, incl. 4 corner cut outs.

Colour: • £9.30 m<sup>2</sup>

**No. 7999 Cover** from an additional section with reinforcement. £6.80 each

20100 000

No. 2110-600 Leaded ballast cord, ca. 600 g/m, for incorporating

into hollow seam. £6.90 metre

No. 9998 Chain, hot-dip galvanised, ca. 800 g/m, for incorporating

into hollow seam. £9.20 metre

No. 2100 Galvanised steel wire rope,

approx. 6 mm in diameter. £1.60 metre

No. 2023 Stainless steel snap hook

with swivel eye. £2.70 each

No. 9091 Aluminium sleeve

for installation in the ground. £23.70 each

No. 21091 This ground anchor consists of a 3 mm stainless steel wire

cable, 40 cm long, and loop. It is knocked into the ground using

a round bar, 45 cm long, and then removed.

When the cable loop is pulled, the anchor turns diagonally

in the ground becoming securely anchored.

**Resistance: approx. 100 kg** £37.20 each







Sand pit cover for Beach-Volleyball

### **Surcharge for nets/covers:**

per net/cover

net/cover under  $1 \text{ m}^2 + 200 \%$ net/cover under  $5 \text{ m}^2 + 100 \%$ 

net/cover under 10 m<sup>2</sup> + 35 %

net/cover under 20 m<sup>2</sup> + 20 %

= 01 = green

When ordering, please specify which colour you require! (e.g. 791-01)





Use of our hammer-throwing nets during the 2012 Southern German Athletics Championships in Wetzlar.

# **Hammer and Discus Throwing Safety Nets**

The Standards Committee NA 112-01-01 AA "Athletic Equipment", that Manfred Huck GmbH is an active member of, was responsible for drawing up the Standard **DIN 79007-3**, which sets out the requirements and test methods for hammer and discus throwing safety net equipment.

### Hammer Throwing Safety Nets DIN 79007-3

For hammer throwing nets there are requirements of the geometry of safety net equipment, which means that that at the rear, the height of the nets from the ground must be at least 7 m, increasing to 10 m from the last 2.80 m before the pivot points.

A safety net meeting the standard EN 1263-1 Type B1 with a mesh size of 45 mm - 1 mm must be used to disperse the kinetic energy. They have to be edged with a 12 mm (30 KN) rope along the top and down the two sides in order to meet the requirements of the Standard.

These nets likewise meet the DLV Regulation 192.3.which, for hammer throwing safety nets, are to have 9-panel cages with 2 tilted wings, 2 metres wide

(Dim.:  $9 \times 2.80 \text{ m} + 2 \times 2 \text{ m} = 29.20 \text{ m}$ ).

Our hammer throwing nets are made in knotless form from polypropylene with a diameter of approx. 5 mm.

No. 650 Hammer throwing safety net for Safety Net Equipment of 7 m rising to 10 m. Diagonal mesh.

**Net size:** 7.50 m rising to 10.50 m, approx. 31.50 m long Colour: £1907.80 each

**No. 651 Hammer throwing safety net** for Safety Net Equipment of 7 m rising to 10 m. **Square mesh.** 

### **Discus Throwing Safety Nets DIN 79007-3**

The surrounding discus safety net must reach at least 6 m from the ground. Safety nets meeting the standard EN 1263-1 Type B1, with a highest mesh size of 45 mm +-1 mm must also be used.

Our discus throwing safety nets are made in knotless form from polypropylene with a diameter of approx. 5 mm.

No. 613

NEW

**Discus Throwing Safety Net** for Safety Net Equipment 6 m high, **square meshes.** 

Net Size: approx. 6.50 m high x 27 m long.

Colour: ● ● £1491.40 each

No. 614



**Discus Throwing Safety Net** for Safety Net Equipment 6 m high, **diagonal** meshes.

Net Size: approx. 6.50 m high x 27 m long.

Colour: • £1266.30 each

Please note: when ordering, please specify the mesh design or include a drawing!!!







# **Hammer Throwing and Discus Safety Nets for Old Equipment**

These nets are only different in terms of their size, in particular their **height**. These nets are likewise manufactured from polypropylene, approx. 5 mm diameter with a mesh size of approx. 45 mm. The nets meet the requirements of the Standard EN 1263-1 Type B1.

In such cases the safety net equipment must be constructed in such a manner that it withstands the kinetic energy of

- 3.72 kJ for a hammer throw (7.26 kg hammer at 2m/s) and
- b) 0.63kJ for a discus throw (2 kg Discus at 25 m/s).


As some equipment is combined, for safety reasons nets meeting the EN 1263-1 Type B1 standard should always be used.

Discus safety net for a standard 7-panel cage (cage size: $7 \times 2.74 \text{ m} = 19.18 \text{ m}$ ).		Hammer throwing safety nets for cages with 2 tilted wings with 2 metres width (cage size: $7 \times 2.74 \text{ m} + 2 \times 2 \text{ m} = 23.18 \text{ m}$ )			
No. 610	No. 610  Hammer & Discus throwing safety net for 4 m high structures.  Net size: 4.50 × 21 m long. Surround ropes attached on lateral and upper edges of net with 8 mm dia. cord.  Colour:  £661.30 each		No. 620		ring safety net, like item 610 0 m that rises to 5 m at the sides. 50 m high, 25 m long. £899.90 each
Discus cafety not conforming to now DIV (Corman Athletics Association)			No. 621	Hammer & Discus throw for 5 m high frames. Net si Colour: ●	<b>ring safety net,</b> as per No. 620, i <b>ze:</b> 5.50 m × 25 m. £899.90 each
Discus safety net conforming to new DLV (German Athletics Association) regulation 190.3 for a 7-panel cage with 2 additional 2 m wide tilting wings (cage size: $5 \times 3 \text{ m} + 2 \times 3.70 \text{ m} + 2 \times 2 \text{ m} = 26.40 \text{ m}$ ).		No. 630	Hammer & Discus throwing safety net, as per No. 620, for 5.50 m high frames. Net size: 6 m × 25 m. Colour: £1142.50 each		
No. 612	No. 612 Discus safety net for a cage height of 4 m.  Net size: 4.50 m high and 27 m long.  Colour:   £787.40 each		No. 640	Hammer & Discus throwing safety net, as per No. 620, but for panel heights rising from 7 to 9 metres in the wing are Net size: rising from 7.50 to 9.50 m × 26 m long.  Colour:   £1744.60 each	

Where frames for double nets with a panel height of up to 5 m are used, Net 610 is used as the outer net and net No. 620 or 621 as the inner net. For panel heights up to 5.50 m net No. 621 is used as the outer net and net No. 630 as the inner net.

Hammer throwing nets for other cage dimensions and indoor hammer throwing nets are available on request.





# **Test meshing**

The mesh durability and the ability of the textile materials to absorb energy is limited by exposure to UV light. In order to ensure that the net has the required capacity to absorb energy, the nets must be adequately tested.

Every test mesh consists of at least 3 mesh samples, in order to test the ability to absorb energy in the tension testing machine.

In order to identify the test piece of mesh sample and the relevant net, seals with the same identity number must be brought.

The number of test meshes is sufficient if, depending on the user intensity, a minimum duration of 5 years can be documented.

# **Ariel Work Platform**

This is a device that allows a person to pull up a net from the ground and let it drop down. It must be designed so that it can be operated manually, without any additional help, the person putting the nets up can fix them in position and can secure them against unintended loosening.

The cable for the ariel work platform must be able to withstand a minimum strength of at least 15kN.

# Weighting down

The net must be assembled so that it can be positioned on the ground. The design of the bottom of the net must ensure that

- Any gusts of wind do not obstruct the thrower (e.g. bulging of the net)
- The launcher cannot pass underneath the net to the outside of the throwing area, and
- The net has sufficient give to absorb the kinetic energy.

# Labelling

The labelling must be legible and permanent, and the nets must contain at least the following details:

- a) The number of this national standard
- b) Name and address of the manufacturer, distributor or importer,
- c) Labelling in accordance with DIN EN 1263-1

# **Wind Pressure**

Wind Pressure tests were carried out for our nets, in order to ensure that the corresponding cages could cope with the wind pressure and thus we know that this is taken into consideration when erecting and operating the safety net equipment.


The load-bearing construction, including erected nets, must withstand a sustained wind speed of 10 m/s.



Test set-up to measure the wind load









Labelling affixed to every net.



# **Accessories for Hammer Throwing Nets**

### No. 611 Additional net for portable support frames

in case frame of 7 panels is supplemented with two additional frames. This set-up requires 2 nets of 2 m  $\times$  5.50 m. Material as No. 610.

Colour: £242.00 pair

### No. 635 System for securing hammer throwing nets.

In order to make hammer and discus safety nets easy to assemble and dismantle, they are edged with 12 mm rope along the top and down the two front sides. Cable eyes and corresponding pull cords are integrated along the top for lifting the net (see photo). This system is suitable for all hammer and discus safety nets.

£163.20 system

### No. 636 **Net ballast bag** made of small woven HDPE bands. Ballast not included. £5.00 each

No. 637 Set of 10 extra PP ropes, approx. 6 mm thick and 10.80 m long, integrated into the height of the net with 1 rope per panel and attachment point. These ropes give the cage shape and prevent the netting from entering the throwing area. £65.30 set







# **Cricket Nets**

No. 2450	Ball stopping net of 2.3 mm, his mesh size 45 mm. Width of net: Colour: ○ ●	, , , , ,	No. 2450-27	<b>Round wood,</b> painted green. Complete with guy ropes, runners ar <b>Length: 2.70 m</b>	nd pegs. £ 39.00 / each
No. 2451	Ball stopping net of 2.3 mm, himesh size 45 mm. Width of net: Colour: ○ ●	, , , , , ,	No. 2451-30	<b>Round wood,</b> painted green. Complete with guy ropes, runners ar <b>Length: 3 m</b>	nd pegs. £ 39.00 / each
No. 2452	Ball stopping net of 2.3 mm, himesh size 45 mm. Width of net: Colour: ○ ●	, , , , , ,	No. 2452-33	<b>Round wood</b> , painted green. Complete with guy ropes, runners ar <b>Length: 3.30 m</b>	nd pegs. £ 39.00 / each
No. 2453	<b>Ball stopping net</b> of 2.3 mm, himesh size 45 mm. <b>Width of net:</b> Colour: ○ ●	, , , , ,	No. 2453-36	Round wood, painted green. Complete with guy ropes, runners ar Length: 3.60 m	nd pegs. £ 39.00 / each



# Lacrosse - the fast game with the small ball



No. 208-038

No. 7710

**Ball stop net** for Lacrosse in approx. **3 mm polyamide**, mesh size approx. **38 mm**, cut to size.

Breathable batting sheets in high tenacity polypropylene,

approx. **510 g/m²** in tightly woven, flame-retardant fabric, and selvedge all the way round (see small picture above).



Colour:

Colour: • O •

£8.60 m<sup>2</sup>

£14.10 m<sup>2</sup>





# Baseball – a thriving sport from the USA

### It is a sport that awakens both players and spectators' passions.

Intensive training is necessary to learn the best way to hit the ball and a ball which has been hit correctly goes a long way. Bringing it back either requires a volunteer or a lot of effort.

Therefore a training tunnel is essential for stroke practice.

No. 200-045 Ball control net for training tunnel in

2.3 mm high tenacity polypropylene,

mesh size 45 mm. Made to measure.


Colour: • £1.80 m<sup>2</sup>

No. 209-045 Ball control net for training tunnel in

3 mm high tenacity polypropylene,

mesh size 45 mm. Made to measure.

Colour: • £3.00 m<sup>2</sup>



For net attachment and tensioning accessories, see pages 6.5 and 6.6.

### Please enquire for prices of complete baseball tunnels.

# Surcharge for nets:

per net

nets under  $1 \text{ m}^2 + 200 \%$ nets under  $5 \text{ m}^2 + 100 \%$ nets under  $10 \text{ m}^2 + 35 \%$ nets under  $20 \text{ m}^2 + 20 \%$  = 01 = green

• = 04 = blue

 $\bigcirc$  = 02 = white

● = 06 = black

When ordering, please specify which colour you require! (e.g. 209-045-01)







Ball safety net on a golf range

# **Ball Safety Nets for Golf Ranges/Courses**

ArtNo.	Description	Colour	Diameter approx. mm	Mesh size approx. mm	£/m²
200-020-01	PP high tenacity, knotless, green	•	2.3	20	£ 4.00
200-020-015	PP high tenacity, knotless, dark green	•	2.3	20	£ 4.00
200-020-02	PP high tenacity, knotless, white	0	2.3	20	£ 4.00
200-020-06	PP high tenacity, knotless, black	•	2.3	20	£ 4.00
201-020-02	PP high tenacity, knotless, white	0	1.8	20	£ 4.90
201-020-06	PP high tenacity, knotless, black	•	1.8	20	£ 4.90
201-025-015	PP high tenacity, knotless, dark green	•	1.8	25	£ 2.50
201-025-06	PP high tenacity, knotless, black	•	1.8	25	£ 2.50
203-020-06	PP high tenacity, knotless, black	•	1.5	20	£ 2.00
203-028-06	PP high tenacity, knotless, black	•	1.5	28	£ 3.30
204-020-06	Polyamide, knotless	•	2.0	20	£ 8.60

### When ordering, please specify which colour you require! e.g. 164-02 = Net in white.

= 01 = green

 $\bigcirc$  = 02 = white

● = 06 = black

● = 015 = darkgreen

= 04 = blue

# **Golf Practice Net**

No. 164

Golf practice net, consisting of steel poles that can be linked together, one polypropylene net at the front to stop high balls and another net at the back to stop balls rolling along the ground.

Size of main net: hight 2.10 m, width 2.75 m made in approx. 1.8 mm high tenacity polypropylene with mesh size 20 mm.

Colour: O

£154.80 each

No. 169

Replacement net for item 164

Colour: O

£51.80 each

# Surcharge for smaller quantities per net:

nets under  $1 \text{ m}^2 + 200 \%$  | under  $5 \text{ m}^2 + 100 \%$  | under  $10 \text{ m}^2 + 35 \%$  | under 20  $m^2 + 20 \%$ 



No. 164 Golf practice net

Prices excluding VAT







No. 771-01

# **Archery Protection Nets**

Our protective nets are suitable for archery as a sport. They are not suitable for hunting archery. When assembling, the nets must not be tensioned but left slack like a curtain (extra: + 40 %). This type of system will efficiently collect stray arrows. Each net should not be longer than 4 m.

When installing a number of nets an overlap of 50 cm is recommended. In the case of very intensive use, it is recommended that two layers of nets are installed.

No. 770

**Archery net** in very tightly woven polyester cloth, approx. 450 g/m<sup>2</sup>, width 2.40 m, selvedge all the way round and fitted with eyelets every 30 cm on the upper section (see photo). These nets can be hung using steel cables, see the accessories on

page 6.6. Colour: £67.00 metre

Only available in standard width.

No. 771 **Archery net** in high tenacity polypropylene, approx. 510 g/m<sup>2</sup> in tightly woven, flame-retardant fabric, fitted with eyelets every 30 cm on the upper section, and selvedge all the way round,

in any dimension.

Colour: • O • £15.20 m<sup>2</sup>



These nets can be suspended with steel cable, see net accessories Page 6.6.

# **Protective Nets for Squash Courts**


No. 202-020 Catch net for squash courts in 1 mm knotless high tenacity

polypropylene, 20 mm mesh. Made to measure Colour: O £2.00 m<sup>2</sup>

No. 201-020 Catch net for squash courts in 1.8 mm knotless high tenacity

polypropylene, 20 mm mesh. Made to measure Colour: O £4.90 m<sup>2</sup>

The price of trapeziform nets is based on the longest and widest sides.



nets under  $1 \text{ m}^2 + 200 \%$  | under  $5 \text{ m}^2 + 100 \%$  | under  $10 \text{ m}^2 + 35 \%$  | under  $20 \text{ m}^2 + 20 \%$ 



No. 202-020-02





PE Nets, approx. 4.5 mm diameter in polypropylene with high resistance to wear and tear.

# Nets in braided knotless netting technology



Nets in braided knotless netting technology (SUPERCROSS) combine the advantages of knotted nets (high linear tensile strength of the cord) with advantages of knotless netting in Raschel technique (same breaking strength in twine and intersection).

Furthermore the nets have a

- low abrasion in the mesh intersection
- a continuously precise mesh size
- a low elongation due to special textile technology.



# "Heavy Duty" Goal Nets in braided knotless netting technology, approx. 8 mm thick



Dimensions: 3 m wide, 2 m high, 100 cm top and bottom depth.

Dimensions: 5 m wide, 2 m high, 100 cm top and bottom depth

No. 4764 Handball goal net in approx. 8 mm polyethylene in new braided knotless netting technology.

Mesh size: 10 cm, diagonal mesh.

Colour:

£422.10 each (additional safety tensioning lines upon request)

No. 4765

Junior football goal net in approx. 8 mm polyethylene in new braided knotless netting technology.

Mesh size: 10 cm, diagonal mesh.

£647.10 each Colour: (additional safety tensioning lines upon request)

More Goal Nets in PE, approx. 4.5 mm in diameter on pages 1.1 and 2.2!

# Nets in braided knotless netting technology



The following materials are available on request

Material	<b>Material thickness</b>	Mesh width
Polyethylene	approx. 4.5 mm	50 mm
Polyethylene	approx. 4.5 mm	100 mm
UHMWPE	approx. 1.8 mm	20 mm
UHMWPE	approx. 1.8 mm	30 mm
UHMWPE	approx. 1.8 mm	50 mm





"Heavy Duty", Nets in braided knotless netting technology, approx. 8 mm dia.

Nets are available with either diamond or square mesh. Price on request.

UHMWPE is ultra-high molecular weight polyethylene, which is a high-performance fibre. The fibres have the lowest density of all reinforcing fibres and the maximum specific strength (strength-to-weight ratio).







Site: PARCABOUT' MANGOFIL in MARTINIQUE (Photo: Pierre Sacaze)

# "A walk in the trees" adventure course

This kind of facility can be found in France and Italy and is very popular with both professional and novice climbers.

The soft netting is not only good for your balance and coordination but also the ideal material to protect you when you fall.



Site: PARCABOUT' MANGOFIL in MARTINIQUE (Photo: Pierre Sacaze)

# **Net Climbing Course**

No. 212-045 Safety net made of approx. 5 mm high tenacity polypropylene,

mesh size 45 mm.

Colour: • • £7.80 m<sup>2</sup>

For other colours, see page 6.4.

Safety net made of approx. 4.5 mm polyester, No. 211-045

mesh size 45 mm.

£9.00 m<sup>2</sup> Colour:

Photo: PRISME S.A., 73 St-Jean de Maurienne, France

### Surcharge for nets:

Nets under  $1 \text{ m}^2 + 200 \% \mid \text{under } 5 \text{ m}^2 + 100 \% \mid \text{under } 10 \text{ m}^2 + 35 \% \mid$ under 20 m<sup>2</sup> + 20 %

- = 01 = green
- = 06 = black
- = 02 = white
- = 07 = red
- = 04 = blue
- = 08 = hemp coloured
- = 05 = yellow
- = 66 = silver

When ordering, please specify which colour you require! e.g. 212-045-07 = Net in red.



# HUCK – Isilink

# No limits to the possibilities for fixing and adjustment without metal components

No. 38030 Isilink line in high tenacity polypropylene, 3 mm dia.

Breaking strain: 80 daN Metres per reel: 1000 m

Colour: • £ 80.00 / roll

No. 38040 As above but 4 mm dia. Breaking strain: 100 daN

Metres per reel: 600 m

Colour: • £ 87.80 / roll

No. 38060 As above but 6 mm dia. Breaking strain: 160 daN

Metres per reel: 500 m

Colour: • £ 92.30 / roll

No. 38080 As above but 8 mm dia. Breaking strain: 290 daN

Metres per reel: 250 m


Colour: ● £ 91.20 / roll

No. 38100 As above but 10 mm dia. Breaking strain: 360 daN


Metres per reel: 150 m

Colour: • £ 92.30 / roll






Step 1



Step 2



Step 3



Step 4

# **Possible Applications::**







- = 01 = green
- = 06 = black
- = 08 = hemp coloured

- = 04 = blue
- $\bullet$  = 07 = red





# **Skipping Ropes for Gymnastics**

	the second secon	
No. 250	<b>Skipping rope</b> in grev h	emp. centre reinforced

to 10 mm, with knots at the end.

**Length: 250 cm** £ 17.20 / per 10

**No. 280 Skipping rope** in grey hemp, centre reinforced

to 10 mm, with knots at the end.

**Length: 280 cm** £ 17.80 / per 10

**No. 280/300 Skipping rope** like no. 280,

but **length: 300 cm** £ 18.60 / per 10

No. 2803 Skipping rope, 280 cm long, as article 280

but with wooden handles and swivels,

length of rope adjustable.

Colour of wooden handles: natural, varnished.

£ 4.50 / each

No. 281 Skipping rope in grey hemp, centre reinforced

to 11 mm, with knots on the ends.

**280 cm long** – a particularly heavy quality.

£ 19.70 / per 10

# **Swing Ropes**

No. 290 Swing rope in grey hemp, 8 m long,

centre reinforced to 12 mm, loops and


snap hooks on the ends.

£ 7.80 / each

**No. 291 Swing rope** in grey hemp, as article 290

but 6 m long, with loops on both ends.

£ 7.40 / each







# **Gymnastic Skipping Ropes in fashionable colours**

**No. 295 Skipping rope** for gymnastics in current fashion colours, braided to comply with the international standard, 9 mm dia.,

**3 m long** and of consistent thickness.

£ 2.00 / each

No. 297 Skipping rope for gymnastics in current fashion colours, braided to comply with the international standard, 9 mm dia., 3.30 m long and of consistent thickness.

£ 2.50 / each

**No. 2950 Skipping rope,** same as No. 295, **per pack of 10 ropes** of assorted colours, supplied in a clear plastic pack.

£ 19.20 / pack

No. 35090 Skipping rope line, same as No. 295,

supplied on reels of 100 m.

£ 59.10 / reel



No. 2950



# No. 295

# Colour key for Nos. 295 / 297 / 35090

Colour-No. 121 → fashion blue

Colour-No. 117 =

Colour-No. F3 = → fashion yellow

Colour-No. 102 = ♦ fashion orange

Colour-No. F2 = ♦ fashion light green Colour-No. F1 = ♦ pi

fashion green

Colour-No. 188 = ♦ fashion violet

Colour-No. 900 =  $\diamond$  fashion white

Colour-No. 114 = ♦ fashion red

Colour-No. 600 = ◆◆◆ black/red/gold

Colour-No. 610 = ◆◆◆ blue/white/red

(Colour-No. 600 and 610 only for Art.-No. 295!)





Double Dutch-

# **Neon Double Dutch Skipping Ropes**

**Double Dutch** is a completely new challenge for all those who love skipping ropes. For the person jumping the rope, good coordination is essential and swinging the rope also requires skill.

No. 306

Neon Double Dutch swing rope, length 6 m (see the neon ropes colour index for a list of the colours in which they are available):

£ 10.70 / pair

#### "Neon Ropes"

"Neon Ropes", **the up-to-date skipping rope** for the modern form of skipping. We supply the synthetic rope in 4 neon colours and 4 different sizes.

#### Please state the colour number (see illustration) when ordering!

No. 307	"Neon Rope", 2.13 m long.	£	3.05 / each	
No. 308	"Neon Rope", 2.43 m long.	£	3.15 / each	
No. 309	"Neon Rope", 2.73 m long.	£	3.25 / each	
No. 310	"Neon Rope", 3.00 m long.	£	3.40 / each	

Beaded Jump Rope






# "Beaded Jump Ropes"

**New skipping rope** consisting of a nylon rope threaded with colourful plastic beads like a string of pearls and with black plastic handles.

Attractive lightweight design makes it easy to swing.

No. 320 Beaded skipping rope, 3 m long. £ 3.40 / each Colour: 34







No. 3320 Battle rope

# "Tug of War" Rope

Tug of War ropes in soft lay approx. **20 mm dia. polypropylene**, with red marker and plastic coated ends, hemp coloured.

No. 3310	length 10 m	£	36.60 / each
No. 3312	length 12 m	£	38.90 / each
No. 3314	length 14 m	£	40.60 / each

Tug of War ropes in soft lay **25 mm dia. polypropylene**, with Red marker in the middle and plastic coated ends. Hemp coloured

No. 3410	length 10 m	£	45.10 / each
No. 3412	length 12 m	£	48.40 / each
No. 3414	length 14 m	£	53.50 / each
No. 3415	length 15 m	£	55.80 / each
No. 3423	length 23 m	£	71.50 / each

Tug of War ropes in soft lay **33 mm dia. Natural fibre** with Red marker in the middle and plastic coated ends.

No. 3515	length 15 m	£ 118.20 / each
No. 3523	length 23 m	£ 151.40 / each

# **Battle Rope**



ends. Length: 10 m

Colour 06: £ 101.30 / each

**No. 3325 Battle rope** as artikel 3320-06, but:

Length: 15 m Colour 06:

Colour 06: £ 140.70 / each



# Circular Rope

**No. 3300 Circular Rope** in soft lay 20 mm dia. polypropylene, with spliced join, length 16 m. Hemp coloured

£ 54.50 each





# **Climbing Ropes for Gymnasiums**

**Includes a steel eye bracket for attachment and a plastic anti-fray sleeve at end.** The total length indicated includes the attachment eye bracket.

#### Soft lay climbing ropes for gymnasiums in Natural Fibre.

No. 37400	length 4.00 m, 33 mm dia.	£	59.10 / each
No. 37450	length 4.50 m, 33 mm dia.	£	61.90 / each
No. 37500	length 5.00 m, 33 mm dia.	£	65.90 / each
No. 37550	length 5.50 m, 33 mm dia.	£	67.60 / each
No. 37600	length 6.00 m, 33 mm dia.	£	70.40 / each
No. 37000	length per additional metre	£	8.50 / metre
No. 36001	All climbing ropes can be supplied with a back spliced end as a foot-knot.	£	8.10 / each

#### Other lengths to special order!



# **Balancing Rope**

**No. 366 Balancing Rope** in 70 mm dia. multifilament polypropylene,

2 m long. All other lengths on request. Colour:

£ 77.10 / each

Balancing rope exercises help develop strength and promote supple muscles in legs and feet.



# **Gymnastic Rings for the Gymnasiums**

**No. 401** Complete set consisting of laminated wood rings and chain,

long hemp ropes 16 mm in diameter and ballast weights.

Available in any length.

Price for a total length of 12 m. £ 230.80 / set

# Championship Ring set for the gymnast

**No. 402 Complete set** consisting of 70 cm long leather straps,

no buckle, laminated wood rings and plastic-coated steel wire ropes with compressed and cushioned ball bearing suspension, adjustable up to 3 cm. Price for a suspension height of 5.50 m

(other suspension heights possible).

£ 284.20 / set

**Please note:** The leather straps should be greased well 2-3 times a year!

# **Gymnastic Rings**

**No. 400 Wooden rings** with grooves, 28 mm dia.  $\times$  24 cm inside

diameter. Hemp coloured

£ 78.30 / pair

#### Lunge reins

No. 330 Lunge reins in 12 mm specially braided polypropylene

rope, with splice at both ends.

Colour:

**No. 332 Lunge rein,** improved design made of 12 mm very high tenacity **polyester** rope. Breaking strength approx.

3000 daN with splice at both ends. This design has

limited extension and is less abrasive.

Colour: • £ 6.20 / metre

No. 2015 Aluminium Safety Hooks.

Longitudinal tensile strength: approx. 22 kN.

£ 10.20 / each

£ 5.70 / metre





# Fistball Rope, length 21 m

No. 300 Ropes for fistball in 5 mm nylon braid, red/white alternating

every 20 cm, with swivel on end.

£ 22.60 / each

**Fistball tape** conforming to the latest regulations. No. 316

Made of red and white wind-permeable polyethylene fabric

with a loose threaded cord for variable tensioning.

19.80 m long and approx. 5 cm wide.

£ 69.30 / each

No. 317 Fistball tape made of red and white wind-permeable polyethylene fabric with a sliding buckle at both ends for

> variable tensioning. 19.80 m long and approx. 5 cm wide. £ 69.30 / each



No. 303 Headball rope in 5 mm nylon braid, 12 m long,

with swivel-snap hook and loop.

£ 9.00 / each

#### **Bands for Sitball**

No. 380 A 5 cm wide band, air-permeable, red/white,

8.80 m long with adjustable buckle on both ends.

£ 53.50 / each

#### **Preliball Band** for teams of 2 to 4 players

No. 318 **Preliball band** in 2.50 cm width, plastic coated woven nylon

for a team of 2. Band length 6 m, with loops on both ends,

red/white.

£ 33.20 / each

No. 319 Preliball band as No. 318, for team of 4 players.

> Length 8 m £ 41.10 / each

# **Gymnastic Laces**

6 mm braided elastic cord, red and white, with plastic hooks on both ends, for use in a wide range of gymnastics and games.

No. 370 8 m length £ 7.40 / each No. 371 10 m length £ 8.50 / each No. 372 12 m length £ 9.60 / each

# **Gymnastic Circle (Magic circle)**

No. 375 6 mm braided elastic cord, red and white, endless, with plastic

clip for adjusting the size of the circle.

Length 20 m









#### Beach Volleyball Tournament Nets for a Playing Area of $9 \times 18$ m

**Tournament nets** with polyester rods sewn into the sides, black netting. **Dimensions: 9.50** × **1 m**, mesh size 10 cm with a 75 mm wide, coloured band all the way round.

No. 5044-06-F1 Tournament net for Beach Volleyball in 3 mm polyester, knotless netting, with an 11.7 m Kevlar cable along the top and a 4 mm tensioning rope at the bottom, polyester band and fibre glass reinforcement dowel, 4-point suspension and 4 tensioning cords with snap buckles, with DVV beach test mark.

With banding all around in neon pink.

£135.10 each

for No. 5044-06-F1 and No. 5044-06-F40



No. 5044-06-F40 Tournament net for Beach Volleyball in 3 mm
polypropylene, knotless netting, with 11.7 m Kevlar cable
along the top and a 4 mm tensioning rope at the bottom,
polyester band and fibre glass reinforcement dowel, 4-point
suspension and 4 tensioning cords with snap buckles, with
DVV beach test mark. With banding all around in blue.

£126.10 each

No. 514-06-F3 Tournament net for Beach Volleyball in 3 mm polyester, knotless netting, with 11.7 m Kevlar cable along the top and a 4 mm tensioning rope at the bottom, polyester band and fibre glass reinforcement dowel, and 4 tensioning cords at the sides. With banding all around in Neon Yellow

with **HUCK logo on top row.** £112.60 each

# Beach Volleyball Tournament Nets for a Playing Area of $8 \times 16$ m

In 2001, the world international volleyball federation, the FIVB, decided to adopt the rally point method of scoring for beach volleyball and reduce the size of the playing area for a trial period. The dimensions used in international tournaments are now  $8 \times 16$  m instead of  $9 \times 18$  m.

This means that volleyball nets and boundary markings of other sizes  $(8.50 \times 1~m$  and  $8 \times 16~m$  respectively) are now required.

Our boundary marking No. 555 (page 9.3) can be adjusted to  $8 \times 16$  m and is therefore suitable for use with this item.

**Tournament net** with polyester rods sewn into the sides, black netting. **Dimensions: 8.50 × 1 m,** mesh size 10 cm with an 80 mm wide, coloured band all the way round.

No. 512-06-F3

Beach volleyball tournament net in approx. 3 mm knotless polypropylene with a 10.70 m Kevlar cord at the top and tensioning rope at the bottom. polyester band at the sides with fibreglass dowel reinforcement, 4-point suspension and 4 tensioning cords with snap lock. 80 mm wide, neon yellow band all the way round.

£112.00 each







# Beach Volleyball Training Nets for a Playing Area of $9 \times 18$ m

#### We now offer beach training nets in yellow with a blue headband.

**Leisure and training nets** in regulation dimensions:  $9.50 \times 1$  m, mesh size 10 cm with an 11.70 m steel cable (3 mm dia.) at the top and coloured headband.

No. 509-06-F1 Beach volleyball net made of approx. 2 mm black polyethylene cord, with tape along the top, 50 mm wide, and nylon tension cord (no steel cable).

Colour: £35.50 each

No. 509-05-F40 Beach volleyball net in 2.3 mm yellow polypropylene, knotless netting. With an 80 mm wide

blue headband at the top.

No. 513-05

No. 513-06

Beach volleyball net in 2.3 mm yellow polypropylene, knotless netting. With an 80 mm wide, blue band all the way round.

Beach volleyball net made of approx. 2 mm black

in various neon colours, all the way round.

polyethylene cord, with tape, 75 mm wide and available

£75.50 each

£75.50 each

Colour:

No. 9084 Beach volleyball nets 513-06-F3, 513-06-F40 and 513-05-F40 can also be supplied with a **Kevlar cable** £8.50 each

for an extra charge.

£40.60 each

= F1 = Neon pink 
● = F3 = Neon yellow 
● = F40 = Neon blue

Please quote the colour number when ordering!



# Beach Volleyball Training Nets for a Playing Area of $8 \times 16$ m

**Leisure and training nets** in regulation dimensions:  $8.50 \times 1 \, \text{m}$ , mesh size 10 cm, with an 10.70 m long bracing cable at the top. With coloured fastening tape.

No. 508-06

Beach volleyball net made of approx. 2 mm black polyethylene cord. With a 50 mm wide fastening tape at the top in assorted neon colours and tension cord. Colour: £31.60 each

No. 518-06

Beach volleyball net made of approx. 2 mm black polyethylene cord. With a 75 mm wide fastening tape all the way round in assorted neon colours and tension cord, with steel cable at the top and polyethylene tension cord at the bottom. £71.00 each Colour:

See page 9.3 for beach volleyball net post accessories. See page 9.3 for play area boundary marking.

#### **Professional Beach Volleyball Accessories**

No. 5028 **DVV-approved one piece Antennae Set** for Beach Volleyball,

> length 1.80 m complete with polyester antenna support pocket in yellow plastic coated polyester webbing and boundary

marker.

Colour: £38.30 pair

No. 5027 Antenna support pocket for Beach Volleyball

in plastic coated woven polyester with boundary marker band, high frequency welded.

Colour: £24.80 pair

No. 556 Boundary marking for beach volleyball, professional version,  $9 \times 18$  m (can be adjusted to  $8 \times 16$  m), with adjustable fibreglass reinforced corner pieces, **DBGM**, 50 mm wide PP webbing and markings in the centre. Complete with 4 sand anchor plates and bungee stretch cords.

> Colour: £98.50 each

No. 555 **Court marking**  $9 \times 18$  m (can be adjusted to  $8 \times 16$  m), improved design version, with adjustable design reg'd plastic corner pieces, 50 mm wide polyester webbing strap and markings in the centre. Complete with 4 plastic ground anchors 23 cm long and bungee elastic cords.

> Colour: £64.20 each

Court marking, like article-no. 555, No. 554

but with the size of:  $8 \times 16 \text{ m}$ 

Colour: £63.10 each

Beach area covers, see page 7.4!





No. 560



No. 50271



No. 556-04



No. 5027-05



No. 555-04 (section)

# **Leisure Beach Volleyball Accessories**

No. 5029 Two piece Volleyball Antennae, length 1.8 m, complete, with

polyester antenna support pocket as No. 5028-05.

Colour: £41.70 pair

No. 50271 Antenna support pocket for beach volleyball with Velcro

**fastener** for quick and simple fastening net (without antennae). Colour: £27.10 pair

No. 550 **Court marking**  $9 \times 18$  m (not adjustable), in woven polyester

webbing, 50 mm, with loops at each corner and centre marking. Design in accordance with DVV requirements.

Rolled on to a plastic reel. Complete with 4 anchoring pins. Colour: £55.20 each

No. 553 Court marking as 550-04, but  $8 \times 16$  m (not adjustable).

> Colour: £54.10 each

Court marking  $9 \times 18$  m (not adjustable), consisting of No. 552 25 mm wide strip with loops at each corner.

> Rolled on to a plastic reel. Complete with 4 anchoring pins. Colour: £36.10 each

No. 560 Sand Kit, comprising of:

- 4 triangular sand plates with bungee cords for bracing the uprights.
- 4 circular sand plates with bungee cords for bracing the volleyball court marking.
- -2 round post discs as bottom support for the uprights. £36.60 set

No. 540 **Volleyball Net Transport and Storage Bag** 

in lightweight woven nylon.

Length: 1.05 m, Diameter: 25 cm £11.90 each





# **Beach Volleyball – Complete Sets**

#### No. 5250

Beach net kit

Consisting of:

**2 net posts approx. 2.50 m,** in three sections, with tool for fixing them firmly into the ground.

4 easy-to-fix tension belts, 25 mm.

**2 Kevlar tension cords** 6 m for bracing between the tension belts, the net and the posts.

**Beach volleyball net,**  $9.5 \times 1$  m, with 10.40 m Kevlar tension cord, with wide fastening tape in neon yellow (item 514A-06-F3).

**Boundary marking,** width 50 mm, in blue,  $9 \times 18$  m (adjustable to  $8 \times 16$  m).

4 special sand screws

£506.50 set

The set is supplied in a carry bag.



No. 5250

The Huck solution to the problem of transporting complete leisure sets on holiday and for leisure use.

#### No. 5200

Leisure net kit

for normal playgrounds, consisting of:

**Net post set** of 2 powder-coated steel rod posts (29 mm diameter), in three sections, with adjustable bracing cords and 4 ground anchors.

Maximum post height: 2.45 m.

**Beach volleyball net**  $9.5 \times 1$  m, with wide pink fastening tape.

**Boundary marking,** width 25 mm, in red,  $9 \times 18$  m.

Sand kit for setting up on sand.

£223.50 set

The set is supplied in a carrier bag.



 $\label{eq:Beach net, No. 5250, Equipped with a clamp-free connection} Beach net, No. 5250,$ 




No. 5200

This kit helps the casual Volleyball player become accustomed to standard playing areas.

  $\bullet$  = 07 = red

Please quote the colour number when ordering!



# Net Sets for Volleyball and Soccer-Tennis for standard and smaller playing areas

Net, net poles and court boundary marking as a complete set. Net with coloured surround, suppliable in 3 modern colours. For fun at the beach, on grassed areas or in leisure parks.

#### A standard court set consists of:

No. 5150

- **1 Leisure net** made of approx. 2 mm polyethylene cord, mesh size 100 mm, 9.50 m long, 1 m high, colour black.
- **1 Court marker,**  $9 \times 18$  m, made of a 25 mm wide, red strip, with loops at each corner, wound onto a plastic reel, 4 ground anchors.
- **1 Set of Net Support Posts,** consisting of 2 29 mm powder-coated tubular steel poles in 3 sections, with adjustable tensioning cords and 4 ground anchors. Maximum pole height: 2.45 m

Colour for headband: No

£122.20 set

#### A set for a smaller playing area consists of:

- **1 Leisure net** made of approx. 2 mm polyethylene cord, mesh size 100 mm,  $6 \text{ m} \log \times 1 \text{ m}$  high. Colour black
- **1 Court marker** band in 25 mm wide, red, woven polyester,  $5.18 \times 13.40$  m, with loops at each corner, wound onto a plastic reel, 4 ground anchors.
- **1 Set of Net Support Posts,** in 29 mm powder coated steel tubes supplied in 3 sections, with adjustable tensioning cords and 4 ground anchors. Maximum height of the posts: 2.45 m.

**No. 5100** Colour for headband:

£109.80 set

#### The sets are supplied in a carry bag.







Set and carry bag







No. 606-06-F3: Beach Badminton Net

# **Beach-Badminton**

No. 606-06

Beach Badminton Net; in nylon, approx. 1 mm, black,  $6 \times 0.76$  m, with nylon tensioning rope, **headband in** 3 different colours:

Neon coloured headband

£27.10 each

= F1 = Neon pink

Please quote the colour number when ordering!



No. 520: Support posts

# **Leisure Badminton Net Accessories**

No. 830-01


Badminton net for leisure; knitted polyethylene netting in panels, 6 m long  $\times$  70 cm height (see photo). Colour 01: Green with upper selvedge in White

£12.40 each

No. 520

**Support posts** for badminton nets, Indiaca and deck tennis. High quality set of 2 29 mm posts, in 3 sections, powder coated and supplied with guy ropes and 4 ground anchor pins. Height of the poles: maximum 2.45 m.

£73.20 set



No. 830-01: Badminton net for leisure





No.A 6060-F2

# **Nets for Badminton and Soccer-Tennis**

A complete set consisting of a net, net posts and boundary marking. The net **tape** is available **in 3 fashionable colours.** Great fun for young and old.

#### A kit includes:

1 Leisure net in approx. 1 mm nylon cord with nylon tension cord, mesh size of 18 mm, 6 m long  $\times$  76 cm height. Net colour 06: Black

**1 Play area marker band,**  $5.18 \times 13.4$  m in woven red polyester, 25 mm in width, with 4 eyelets at corners and supplied on plastic, complete with 4 ground anchor pins.

**1 Set of net posts** comprising two 29 mm powder-coated steel posts in 3 sections, with adjustable anchor cords and 4 ground anchor pins. Maximum height of posts: 2.45 m.

No. 6060

Neon coloured headband

£108.70 set



= F1 = Neon pink

= F3 = Neon yellow

● = F2 = Neon green

● = 06 = Black

Please quote the colour number when ordering!





Colour for headband



No. 6200-01



#### **Badminton-Nets Set**

#### for Leisure, with integral fibreglass/polyester posts

No. 6200-01

Badminton net for leisure in rot-proof knitted polyethylene. Integral fibreglass/polyester net posts can be fitted together, which reduces their length for transportation. Quick and easy to assemble.

#### One set consists of:

1 Leisure Badminton net (length 6 m, height 70 cm) with integral **polyester/fibre glass poles.** Pole length: approx 1.80 m (90/90) Pole dia.: 12 mm: 2 tension cords and 4 ground anchor pins.

£43.40 each

£10.70 each

Packing:

in attractive sales box with 3 photographs showing use of the equipment.

# Children's Tennis Net

#### with integral fibreglass/polyester posts

No. 8200 Manufactured in rot-proof knitted polyethylene.

> The integral, flexible fibreglass reinforced polyester net posts have the advantage that they are permanently fixed to the net and therefore cannot be lost.

The net is also therefore extremely easy and quick to set up. Complete with 2 guy ropes and 2 anchor pins.

£32.70 set

Length: approx. 6.00 m Height: approx. 0.80 m Post length: approx. 1.10 m Post dia.: approx. 12 mm

Particularly suitable for leisure sport and camping.

#### **Paddle-Tennis Net**

A **new type of trend sport**, which is widespread in Spain and South America, is now taking off in the UK too.

It is a return play game like tennis, for courts  $20 \times 10$  m in size.

No. 8430

Paddle-Tennis net in approx. 3 mm high tenacity polypropylene, knotless, mesh size approx. 45 mm. Net length: 10 m, net height: approx. 92 cm, with a pvc-coated steel cable (3.4/4.5 mm) along the top and also with PES tape along the top, 100 mm wide (50 mm).

Colour: £78.80each

#### Please state the distance between the posts when ordering!

No. 9052 **Centre strap** made of 100% polyester with plastic snap

buckle and stainless steel snap hooks.

(other accessories, see page 5.4)

#### Printed head band available upon request!



No. 8430-06



No. 8231-06-F3

#### **Beach Tennis Tournament Nets**

No. 8231-06 Beach tennis tournament net made of approx. 3 mm high tenacity polypropylene. Mesh size: 45 mm. 80 mm wide neon yellow tape all the way round and Kevlar tension cord, 11.70 m

long, along the top. Polyester rods and 4-point suspension with 4 tension cords and fastener at the sides.

Dimension:  $9.50 \text{ m} \times 1 \text{ m}$ 

Colour: F3 • £152.00 each

#### **Beach Tennis Court Marking**

No. 555 Markings for play area of 9 × 18 m with adjustable

DBGM plastic corner pieces (adjustable to  $8\times16$  m), 50 mm wide PES band with logo in the centre. Complete with 4 plastic ground anchors 23 cm long and bungee stretch cords.

Colour: • £64.20 each

**No. 554 Court marking,** like article-no. 555,

but with the size of:  $8 \times 16 \text{ m}$ 

Colour: • £63.10 each

#### **Beach Tennis Training Nets**

No. 8220-06

**Beach tennis training net** made of approx. **2.3 mm** high tenacity polypropylene. Mesh size: 45 mm, with **above** 160 mm wide (80 mm when folded) fastening tape in neon yellow and Kevlar tension cord 11.70 m long, and below with a 12 m length of 5.5 mm cord (patent applied for), and with lugs and connecting laces (without polyester bars) at the upper 2 corners. Size: 9.50 m × 1 m.

Colour: F3 • £67.60 each

No. 8221-06

**Beach tennis training net** made of approx. **2.3 mm** high tenacity polypropylene. Mesh size: 45 mm, **with neon yellow ribbon binding all the way round**, being 160 mm (80 mm when folded) at the top, and 80 mm (40 mm when folded) at the sides and bottom, and having Kevlar tension cord 11.70 m long at the top and, below, 12 m length of 5.5 mm cord (patent applied for), and with lugs and connecting laces at the 4 corners, **and with polyester bars at the sides.** 


Size:  $9.50 \text{ m} \times 1 \text{ m}$ .

Colour: F3 • £112.00 each

No. 8222-06 Beach tennis training net as no. 8221-06, but:

Size:  $8.50 \,\mathrm{m} \times 1 \,\mathrm{m}$ 

Colour: F3 • £106.40 each









#### **Complete beach Tennis Kit**

No. 8250 **Beach tennis kit** consisting of:

> 2 net posts approx. 1.90 m, in three sections, with tool for fixing them firmly into the ground.

4 easy-to-fix tension belts, 25 mm.

**2 Kevlar tension cords** 6 m for bracing between the tension belts, the net and the posts.

**Beach tennis net,** 9.5 × 1 m (with 10.40 m Kevlar tension cord) with neon yellow fastening tape all the way round (our No. 8221A-06-F3).

**Boundary marking,** width 50 mm, in blue,  $9 \times 18$  m (adjustable to  $8 \times 16$  m).

4 special sand screws

£517.80 set

# **Beach-COMBI-Set**

This Beach Combi set can be set up for beach volleyball, beach tennis, or beach badminton

No. 6220 **Beach Combi** set consisting of:

> Net post set of 2 powder-coated steel rod posts, in three sections, with adjustable bracing cords and 4 ground anchors. Maximum post height: 2.45 m.

**Combi net, 8.50 \times 0.90 m** made of approx. 1.5 mm polypropylene, mesh size 30 mm, with neon yellow fastening tape.

**Boundary marking,** width 5 mm, in yellow,  $8 \times 16$  m.

£197.00 set

Each set is supplied in a carry bag.





No. 6220

= 04 = blue

= F3 = Neon yellow

Please quote the colour number when ordering!



No. 114-05

#### **Beach-Handball**

Dimensions: width 3.10, height 2.10 m, top depth 80 cm, bottom depth 1 m.

No. 114 Beach Handball Goal Nets in 4 mm high tenacity

**polypropylene.** Mesh size: 10 cm.

Colour: • £64.20 pair

No. 111 Beach handball goal nets in approx. 4.75 high tenacity polypropylene, approx. 4.75 mm, hexagonal mesh.


Colour: £132.30 pair

# Weighting

**No. 1193 Chain weights** for indoor handball goal nets, 800 g per metre. Sheathed in plastic with a hook and tie cord at both ends.

For nets with a depth of 1 m.

Length: 5 m £58.60 each



# **Boundary Marking**

**No. 1195 Boundary marking** for beach handball, 27 × 12 m, with reg'd design, adjustable plastic corner pieces and 50 mm wide.

design, adjustable plastic corner pieces and 50 mm wide polyester webbing strap.

Same number of tapes as No. 1196-07.

Complete with bungee elastic cords and sand anchor plates.
Colour: £122.20 each

**No. 1196 Boundary marking** for beach handball, 27 × 12 m, **professional version,** containing:

2 tapes of 27 m each for sidelines

**4 tapes** of 12 m each for goal touchlines made of 50 mm reinforced PP webbing

**8 fibreglass reinforced plastic corner pieces,** DGBM **8 sand anchor plates** with bungee stretch cords

Colour: • £144.70 set





No. 1196-07







Beach-Soccer goal net with ballast chain in custom finish upon request

#### **Beach-Soccer**

No. 10175

No. 1519 Knotless goal net for beach soccer in approx. 4 mm high

tenacity polypropylene. Mesh size 120 mm. Dimensions:  $5.70 \times 2.25$  m, top depth 0.80 m,

bottom depth 1.50 m.

Colour:

£135.10 pair

No. 151 Knotless goal net for beach soccer in approx. 4 mm high tenacity polypropylene.

Dimensions:  $5.15 \times 2.05$  m, top and bottom 1m.


Colour: £76.60 pair Goals are generally 5.50 m wide. When ordering beach soccer nets, please

give the goal dimensions and goal depth.

sheathed in plastic. Goal depth: 1.50 c

Ballast chain for no. 1519 consisting of a chain 800 g/m,

Length: 8.70 m £95.70 each



- = 01 = green
- = 05 = yellow
- = 09 = violet

- = 04 = blue
- = 07 = red

#### Please quote the colour number when ordering!

# **Beach Soccer Boundary Marking**

No. 10192

"International" pitch marking for beach soccer,  $36.50 \times 27.50$  m made from **100 mm wide blue webbing**, corners with adjustable glass fibre-reinforced plastic pieces for 100 mm tape, consisting of:

 $2 \times 36.5$  m **tapes** for sidelines, each with 11 m tapes for goal touchlines and corner pieces already attached on either side (both 36.50 m tapes have two 11 m tapes attached). These tapes each have an eyelet on one side for a rubber loop to attach them to a goal post. See illustration!

**4 rubber loops** for attaching side tapes to a goal post. 6 sand anchor plates with a bungee stretch cord for the 4 corners and the middle of the sidelines (the side band has an eyelet in the middle for attaching the sand anchor plates). Colour: £354.60 set

No. 10191

"Competition" playing field marking for beach soccer,  $36.50 \times 27.50$  m, made of 100 mm wide blue webbing, with stitched corners and consisting of:

2 tapes of 36.50 m each for the sidelines

2 tapes of 27.50 m each for the goal touchlines

4 sand anchor plates with bungee stretch cords

Colour:

£332.10 set

The tapes are attached to each other at the corners to form **one** playing field with a total area measuring  $36.50 \times 27.50$  m.



No 10192-04 (Detail: 1 tape with corner pieces, sand anchor plates and bungee cord)





# Goal nets for small playing areas and multi-sports facilities / Outdoor

For freely accessible multi-sports complexes in accordance with EN 15312 up to 3m in height there are the following mesh size restrictions:

- for **square** meshes the mesh size must not exceed 50 mm.
- for **diamond** meshes the mesh size must not exceed 100 mm

Dimensions: width 3.10 m, height 2.10 m, top depth 80 cm, bottom depth 1 m.

Safety nets per m<sup>2</sup> - on request -

No. 126	Small pitch goal net made of stro tenacity polypropylene, with a goal area. Mesh size: approx. 45 r	additional edging cord in the	No. 212-045	Safety net in approx. <b>5 mm high t polypropylene,</b> knotless. Mesh size: approx. 45 mm	enacity
	Colour:	£242.00 pair			£7.80 m <sup>2</sup>
No. 110	Small pitch goal net made of app <b>polypropylene</b> , with additional Mesh size: approx. 45 mm. Colour:		No. 212F045	Safety net in approx. <b>5 mm high t polypropylene, in flame-retard</b> Mesh size approx. <b>45 mm</b> Colour: • • • •	
Dimensions: wi	dth 5.15, height 2.05 m, top depth 80	0 cm, bottom depth 150 cm.	No. 214-045	Safety net in approx. <b>4.2 mm high polypropylene</b> , knotless. Mesh size: approx. 45 mm	tenacity
No. 1545-045	Small pitch goal net made of app <b>polypropylene</b> , with additional Mesh size: approx. 45 mm. Colour:		No. 209-045	Colour: Safety net in approx. 3 mm high to polypropylene, knotless.  Mesh size: approx. 45 mm Colour: O O O O O O O	£7.50 m <sup>2</sup> <b>enacity</b> £ 4.80 m <sup>2</sup>

These goal nets have an additional cord in the goal area.

Football area nets with diamond mesh size see Page 10.4!

# Replacement nets for small playing fields 13 x 20 m



No. 2230

Ball safety nets in high tenacity approx. 5 mm polypropylene, knotless, mesh size approx. 45 mm, for front end 13 x 2 m above 1 m-band, with 3 x 1 m-section for goal

Colour:

£298.30 each

No. 2231

**Football area net - main component 3.10 x 2 m** in approx. 5 mm high tenacity polypropylene, knotless, mesh size approx. 45 mm.

Colour:

£87.30 each

No. 2232



**Panel net (for Article 2231), 2 x 0.70 m** in high tenacity approx. 5 mm knotless polypropylene mesh size approx. 50 mm. 2 panel nets required for 1 goal.

Colour:

£53.00 pair

Where possible, these nets should not be pulled over the frame, but, where possible, they should be drawn tight with the elastic cord in the goal frame area. Alternatively nets can be **threaded onto** the frame. In this case a diagram of the goal is needed to determine the right mesh size and dimensions!







Side Covering with Safety Nets Product No. 212-100-01 as well as Ceiling Safety Net with Product No. 200-100-02.

# Football Stop Nets / Indoor

When using conventional halls and indoor tennis courts for indoor football and other fun sports, stop nets are needed to protect spectators and facilities from stray balls.

No. 212-100 Safety net made of approx. 5 mm high tenacity

polypropylene, mesh size 100 mm.

olour: ● ● • £4.20 m<sup>2</sup>

No. 200-100 Safety net made of approx. 2.3 mm high tenacity polypropylene, mesh size 100 mm.

Colour: O • £2.00 m<sup>2</sup>

No. 200-120 Safety net made of approx. 2.3 mm high tenacity

**polypropylene,** mesh size 120 mm.

Colour: • • ○ • £1.60 m<sup>2</sup>

#### Surcharge for smaller quantities:

per net:

nets under  $1 \text{ m}^2 + 200 \%$ nets under  $5 \text{ m}^2 + 100 \%$ nets under  $10 \text{ m}^2 + 35 \%$ nets under  $20 \text{ m}^2 + 20 \%$ 



Urban Volleyball Court from the Funtec Firm.

# for tensioning and suspension

we recommend our galvanised steel wire cables with cable eyes and a turnbuckle at each end:

No. 2097 Steel wire cable, PVC-coated,

5/7 mm thick £1.70 metre

**No. 2100** Galvanised steel wire cable, 6 mm.

£1.60 metre

No. 2101 Plus cable eyes and turnbuckle

at both ends of the 6 mm cable.

£19.60 extra charge

# For additional protection and for securing nets to existing borders or straps:

**No. 2116** Net surround made of polyester webbing, 100 mm wide.

(50 mm wide when folded back).

Colour: O £4.00 metre

Farbtabellen-Erklärung, siehe Seite 9.15!

# Street Basketball – the leader in Street Games

No. 222 Basketball net in 3 mm

polyethylene twine.

Colour: O £2.90 each

No. 223 Basketball net in 3 mm

nylon braid.

Colour: O £2.90 each

No. 227 Three-colour basketball net

made of approx. 4 mm polypropylene braid.

Three-colour: • £4.60 each

No. 4677-2 Basketball net, cut and tear resistant,

made of 5 mm Hercules rope (see Page 7.1).

Colour: ● ● £64.80 each



**Nets for ball sport facilities,** which cannot be replaced in winter or bad weather conditions, now **do not even need to be replaced.** 

**No. 912 All-weather net** in coated polyester material,

approx.  $9.5 \times 0.75$  m, mesh width approx. 40 mm, also possible to use as a multi-game net, top band with approx. 11.7 m steel rope and a white PVC band along

the top, fastening cords on all 4 corners.

Colour: • £154.80 each

# Sun sail For sandpits, pools, etc.

Our **sun sails** are made of air and water permeable PE material and reduce solar radiation. They **prevent heat accumulation**, **build up of mildew and decay** and are long life.

**No. 722** PE fabric, approx. 200 g/m², hemmed, with loops spaced approx.

every 0.5 m, with additional strengthening band.

Colour: • • • • • • £5.60

Finishes possible in nearly all individual sizes and shapes You plan — we deliver according to your specifications!

#### Surcharge for Sun sails:

sun sails under  $1 \text{ m}^2 + 200 \%$  | under  $5 \text{ m}^2 + 100 \%$  | under  $10 \text{ m}^2 + 35 \%$  | under  $20 \text{ m}^2 + 20 \%$ 

= 01 = green= 03 = orange

= 66 = silver

● = 015 = dark green • = 04 = blue

= 76 = terracotta

 $\bigcirc = 02 = \text{white}$ 

● = 06 = black

= 86 = cream

Please quote the colour number when ordering!











#### **Anti-Vandalism Nets**

Who is not familiar with the problem of nets that are cut up or burnt down on public playgrounds and sports areas?

Of course, wire-mesh or metal fences can be used. However, these products absorb hardly any of the noise they produce and when played against with balls etc. generate a lot of noise that disturbs the whole neighbourhood.

Textile products are ideal for noise protection; steel or wire products are ideal for protection against vandalism.

In order to be able to offer products that satisfy both requirements, we have developed three different products that, depending on the thickness of the steel core, ensure different levels of protection against vandalism and noise.

Product	Thickness of steel core	Textile coating	Total thickness	Mesh stability	Vandalism protection	Noise protection
<b>Mahulan Steel</b> (high tenacity PP)	1.25 mm (wire strand)	3.5 mm	4.75 mm	approx. 2.5 kN	x (light)	xxx (strong)
Clips-Net	2.5 mm (steel wire)	2.5 mm	5 mm	approx. 0.5 kN	xx (medium)	xx (medium)
Dralo®	1.5–6 mm (steel wire)	without	1.5–6 mm	approx. 0.8–3.5 kN	xxx (strong)	xx (medium)

Thanks to their steel core or steel wire, all the products offer a better protection against vandalism than purely textile nets.

#### "Mahulan Steel"

A completely new product from HUCK. A machine-made safety net with a stainlesssteel core (wire strand)


(DBGM 20 2006 011 018) with the product name "Mahulan steel".



Prices excluding VAT

#### Reinforced Textile Net

Steel wire coated with polyester (2.5/5 mm), clipped together with plastic knot clips to form a square-mesh net



# Dralo®

#### Dralo® the new wire rope net:

- Discreet design
- Extreme force is required to damage it
- No rattling noise on contact with the ball







#### Knotless antivandalism net "Mahulan steel" with stainless-steel, wire-strandcore

To the eye, this knotless net scarcely looks any different from our normal textile nets, but it has a stainless-steel, wire-strand core as vandalism protection and at the same time offers a high level of noise absorption. **The soft net with the hard centre.** 

Mesh size: approx. 105 mm, square mesh (in 3 different standard widths)

No. 9830-105

"Mahulan steel" knotless stop net, approx. 1.25/4.75 mm

high tenacity flame-retardant polypropylene.

Mesh size approx. 105 mm

Fixed width of nets: 3 m

Colour: • £ 18.60 / m<sup>2</sup>

No. 9840-105 "Mahulan steel" knotless stop net, approx. 1.25/4.75 mm

high tenacity flame-retardant polypropylene.

Mesh size approx. 105 mm

Fixed width of nets: 4 m

Colour: • £ 18.60 / m<sup>2</sup>

No. 9820-105 "Mahulan steel" knotless stop net, approx. 1.25/4.75 mm

high tenacity flame-retardant polypropylene.

Mesh size approx. 105 mm

Fixed width of nets: 2 m

Colour: • £ 20.90 / m<sup>2</sup>

Mesh size: approx. 60 mm, square mesh (in 2 different standard widths)

**No. 9830-060** "**Mahulan steel**" **knotless** stop net, approx. 1.25/4.75 mm

high tenacity flame-retardant polypropylene.

Mesh size approx. 60 mm

Fixed width of nets: 3 m

Colour: • £ 31.60 / m<sup>2</sup>

No. 9840-060 "Mahulan steel" knotless stop net, approx. 1.25/4.75 mm

high tenacity flame-retardant polypropylene.


Mesh size approx. 60 mm

Fixed width of nets: 4 m

Colour: • £ 31.60 / m<sup>2</sup>

● = 015 = dark green

When ordering, please specify which colour you require!




# Surcharge for minimum quantities per single net:

nets under  $1 \text{ m}^2 + 200 \%$ nets under  $5 \text{ m}^2 + 100 \%$ nets under  $10 \text{ m}^2 + 35 \%$ nets under  $20 \text{ m}^2 + 20 \%$ 

#### **Mahulan Steel:**

- Discreet design
- Extreme force is required to damage it
- No rattling noise on contact with the ball







#### "Mahulan steel" knotless goal net with stainless-steel, wire-strand core

Dimensions: width 7.50 m, height 2.50 m, top depth 0.80 m, bottom depth 1.50 m

Dimensions: width 5.15 m, height 2.05 m, top depth 0.80 m, bottom depth 1.50 m

No. 996

"Mahulan steel" knotless goal net in flame-retardant **high tenacity polypropylene.** Material strength approx. 1.25/4.75 mm, mesh size approx. 100 mm, square mesh layout, including PA- coated tension cords (see drawing).

Colour: £ 900.50 / each No. 9965



"Mahulan Steel" knotless goal net in flame-retardant **high tenacity polypropylene.** Material strength approx. 1.25/4.75 mm, mesh size approx. 100 mm, square mesh layout, including PA- coated tension cords (see drawing).

£ 562.80 /each Colour:

Dimensions: width 3 m, height 2 m, top depth 0.90 m, bottom depth 1.10 m

No. 9964

"Mahulan steel" knotless goal net in flame-retardant **high tenacity polypropylene.** Material strength approx. 1.25/4.75 mm, mesh size approx. 100 mm, square mesh layout, including PA- coated tension cords (see drawing). £ 394.00 / each Colour:

Dimensions: width 1.80 m, height 1.20 m, top and bottom depth 0.70 cm

No. 9966

Mahulan Steel" knotless goal net in flame-retardant **high tenacity polypropylene.** Material strength approx. 1.25/4.75 mm, mesh size approx. 60 mm, square mesh layout, including PA- coated tension cords (see drawing).

Colour:

£ 388.40 / each

#### Replacement tension cords for goals 3 x 2 m

No. 46644

Tension cord made of encased (patent pending) steel cable, approx 3/4.5 mm thick, including 2 screw clips, one side with pressed-on loop. Length: 1 unit of 3.50 m (coloured red for the rear upper goal depth)

£ 11.00 / each

No. 46645

Tension cord made of encased (patent pending) steel cable, approx 3/4.5 mm thick, including 2 screw clips. Length: 1 unit of 12.50 m (coloured yellow for the goalmouth area and the lower end of the goal) £31.60 / each

This cord enables the net to be fixed mesh by mesh to the floor area.

Replacement tension cords for no. 996-01 on request!



**Caution:** to ensure that they last a long time the goal nets should, in principle, be hung up only within the goal posts. The net should never be pulled over the frame.







No. 4064

Anti-theft tension cord for assembly

#### **Dralo® Practice Pitch Goal Net**

No. 4064 Dralo® practice pitch goal net made of galvanised steel

wire cables, approx. 3 mm thick.

Net size: 3 m wide, 2 m high,
top and bottom depth 0.90 m.

Mesh size: approx. 10 cm, **square mesh.**Includes anti-theft tension cord assembly set.

£ 1,066.50 / each

#### **Practice Pitch Goal Net with Steel Wire**


No. 4664

**Practice pitch goal net in polyester with steel wire** (reinforced textile net), approx. 2.5/5 mm dia. Suitable for handball goals that conform to DIN EN 749 with net frame. Net size: 3 m wide, 2 m high, top and bottom depth 0.90 m. Mesh size: 10 cm, diagonal mesh.

Colour: • £ 584.50 / each

**Caution:** to ensure that they last a long time the goal nets (no 4064 + 4664) should, in principle, be hung up only **within** the goal posts.

The net should never be pulled over the frame.



**Now considerably improved:** with additionally included protective tension cord made of encased (patent pending) steel cable, approx 4.5 mm thick, see also page 10.3.

**NEW: with additional scratch protection** around the edge made from high-quality polyamide loops (see small picture)



Scratch protection for no. 4664



#### **Reinforced Volleyball Nets**

These nets can be used in a wide variety of ways and the HUCK system of knots is used to reinforce different mesh and net sizes for all types of sport.

No. 4674

Volleyball net equipment, ready to install complete with beams, tensioning cords at the sides and volleyball net in polyester with steel core (reinforced textile net), approx. 2.5/5 mm dia., 1 m  $\times$  9.50 m, mesh size 100 mm Colour: £ 2,108.40 / each

Volleyball net in polyester with steel core No. 4674-1

> (reinforced textile net), approx. 2.5/5 mm dia., 100 mm mesh. Dimensions per International standards:  $1 \,\mathrm{m} \times 9.50 \,\mathrm{m}$ .

Colour: £ 1,452.10 / each

Volleyball net system with steel posts available upon request!

# **Dralo® Volleyball Nets**

An attractive volleyball net that cannot be cut.

No. 4074-1

Volleyball net made of galvanised steel wire ropes (Dralo®), approx. 2 mm in diameter, with a mesh size of 100 mm. The net measures 1 m 9.50 m in accordance with international regulations. For use with standard volleyball posts. Tape, 160 mm wide, made of coated woven fabric and bearing the Huck logo.

£ 933.10 / each


No. 4074-2

Volleyball net as no. 4074-1, but PA-coated steel rope 1.8/2.5 mm, in green (see small picture).

£ 1,127.50 / each

See page 9.3 for boundary marking (item 555-04).

Further information about Dralo® can be found on page 10.7.









# Equipment for Neighbourhood Playgrounds as multi-functional games equipment in residential areas

Multifunctional games equipment has an important social function in residential areas. A place where the young can meet and unwind, on their own, or as a team, without running the risk of breaking windows or urban property by accident.

Equipping these facilities with anti-vandalism sports nets not only makes them extremely durable but also improves the quality of residential areas.

No. 4305-100

Safety & stop nets in polyester with steel wire (reinforced textile net), approx. 2.5/5 mm dia., with a mesh opening of approx 100 mm.

Devised to partition fields or to stop balls behind goal posts.

Colour:

£  $98.50 / m^2$ 

No. 4305-045

Safety & stop nets as article 4305-100, but: with a mesh opening of approx. 45 mm.


Colour:

£ 152.00 / m<sup>2</sup>



When used as a vandal-proof ball stop net, our Hercules net has better sound-absorbing properties than wire mesh netting or a steel-lattice fence.

The emission noise-pressure level was measured according to EN ISO 11202.







# Huck-DRALO®-ball stop modular fencing system

The Huck-Dralo® ball stop modular fencing system consists of a basic module that comes in a standard 5 m width and 5 m height. As many 5 m x 5 m module extensions as you wish can be added.

The basic module contains two posts, a net (**approx. 3 mm dia.**), plus a crossbar to finish it at the top, tension cables and assembly accessories. Each expansion module comes with an additional post, the net and all the small parts required.

The anchoring device has been specially developed for the system (above) and ensures a very light section profile with maximum stability. This straight finish is also very important to give the look of a wire rope net.

The net areas (net + crossbeam) can easily be assembled by one person on a mobile elevated platform.

The system allows efficient assembly with long-lasting, vandal-proof components.

The differing **mesh size design** (**50 x100 mm** at the bottom, **50 x 200 mm** from 2 m up) prevents people from climbing up the fence and also means it weighs less. Under EN 15312 the horizontal mesh size of ball stop fencing should not exceed 50 mm to make climbing it harder.

For this Huck-Dralo material there is also a general approval by the **building authorities (Z-14.7-765) in the "fall protection" section.** 

No. 46500 Huck-Dralo®-ball stop fencing – basic module


Width: 5 m, height: 5 m £ 2,813.90 /each

No. 46500-2 Accessory for 90°-corner module

£ 112.60 /each

No. 46500-1 Huck-Dralo®-ball stop fencing – extension module

Width: 5 m, height: 5 m £ 2,307.40 /each



- Low-noise ball catching net: because of the strong connections of the net knots
- Anti-vandalism: thanks to a steel cable net
- Easy assembly: thanks to handy module size





# **Dralo® Anti-Vandalism Nets**

Dralo anti-vandalism nets have a modern and attractive appearance. These mechanically produced wire rope nets have a square mesh.


They are aesthetically pleasing in spite of their strength. These nets are supplied for use as practice pitch goal nets and safety nets (e.g. stop nets for balls).

When ordering safety and stop nets, please specify whether you require the galvanised or stainless steel design. Nets can be supplied with the following mesh sizes (MS)/rope diameters: Price on application

	MS 25 x 25 mm	MS 50 x 50 mm	MS 75 x 75 mm	MS 100 x 100 mm	MS 125 x 125 mm	MS 150 x 150 mm	MS 200 x 200 mm	MS 50 x 100 mm	MS 50 x 200 mm
1.5 mm ø	×	×	×	×	×	×	×		
2.0 mm ø	×	×	×	×	×	×	×		
2.5 mm ø		×	×	×	×	×	×		
3.0 mm ø		×	×	×	×	×	×	×	×
4.0 mm ø		×	×	×	×	×	×		
5.0 mm ø			×	×	×	×	×		


# Anti-Vandalism Nets from PA - Plastic Coated Steel Cable 1.8/2.5 mm

NEW	MS	MS	MS
	50 x 100 mm	100 x 100 mm	50 x 200 mm
2.5 mm ø	×	×	×





PA-coated steel cable, 1.8/2.5 mm, mesh width: 50 x 100 mm



#### DRALO®-nets can be equipped with the following alternative fittings:


1 Looped eye

Female thread fitting

Thread fitting

Eye fitting

Forked fitting



# Breaking strengths of wire ropes

Galvanised wire ropes			Stainless-steel wire ropes, material 1,4401		
Rope in mm	Constr.	Minimum- breaking strength	Rope in mm	Constr.	Minimum- breaking strength
1.5 mm	7× 7	1.5 kN	1.5 mm	7× 7	1.7 kN
2.0 mm	7× 7	2.5 kN	2.0 mm	7× 7	2.5 kN
2.5 mm	7× 7	4.1 kN	2.5 mm	7× 7	3.9 kN
3.0 mm	7× 7	5.7 kN	3.0 mm	7× 7	5.6 kN
4.0 mm	7× 7	10.2 kN	4.0 mm	7× 7	9.6 kN
5.0 mm	7×19	14.7 kN	5.0 mm	7×19	14.9 kN
6.0 mm	7×19	21.2 kN	6.0 mm	7×19	20.9 kN
8.0 mm	7×19	37.6 kN	8.0 mm	_	_

# Lateral displacement force where wires cross

Rope in mm	Aluminium clips on galvanised ropes	Aluminium clips on Nirosta ropes	Nirosta clips on Nirosta ropes
1.5 mm	80 kg	80 kg	90 kg
2.0 mm	100 kg	170 kg	170 kg
2.5 mm	110 kg	170 kg	170 kg
3.0 mm	150 kg	300 kg	250 kg
4.0 mm	200 kg	430 kg	330 kg
5.0 mm	300 kg	500 kg	350 kg
6.0 mm	400 kg	750 kg	360 kg
8.0 mm	900 kg	1200 kg	_





#### Terms and conditions of sale

#### Extract from the Conditions of Sale of the Company – Full Conditions of Sale are available on request

#### **Prices**

Every effort will be made to keep prices firm, but we reserve the right to vary with them without notice.

#### VAT

Extra at rate ruling at time of invoice.

#### **Credit Surcharge**

Sums which are overdue and have not been paid by the end of the month of the invoice, will be surcharged at the rate of 1.5 % (compound) per calendar month or part of calendar month thereafter.

#### Title

Title to the goods does not pass to the purchaser until the account is settled in full. Risk passes to the purchaser on delivery.

#### Quality

We use the most suitable materials for the intended purpose of the article. It is not our policy to vary quality but we reserve the right to use alternative materials when we consider it suitable or necessary.

Weight of goal posts etc. listed are approximate.

#### Carriage

A standard carriage charge of £12.00 will be added to all orders, except items marked "carriage extra", on these orders carriage will be charged at cost.

#### **Packing**

Free, except any wood cases or specially requested materials which are charged at cost.

#### **Non-Delivery or Damage**

If goods are not received within 10 days from date of invoice we must be notified immediately in writing, otherwise no responsibility can be accepted. Damage or Part Delivery must be advised within 3 day of receipt.

#### Returns

No goods can be accepted for credit without written permission from the Company. A 15 % handling and restocking charge will be applied to all credit notes covering returned goods, plus carriage where applicable. Returns will only be accepted on goods received back in saleable condition. This condition does not apply where there is a justifiable complaint relating to the quality of the goods supplied.

#### Guarantee: legal requirements apply.

Our nets are textile products with features that are damaged by exposure to UV radiation. The netting is therefore UV-stabilised although this only represents additional protection.

The guarantee only applies to the features of the net when new, which of course include the standard addition of UV stabilisers.

For this reason, the manufacturer's test regulations (test mesh) must be observed for nets that provide personal protection.

Notes:			

Description

**Item** 

Diameter

(mm)

Colour

Mesh size

(mm)


Weight

g/m<sup>2</sup>

**Burst strength** 

(kN)

#### Here are more top products from HUCK:



#### Construction sector: Huck construction safety nets


for all needs You can find details of the nets required on building sites in our specialist safety net catalogue for the construction industry. Collection nets, brick guard rail nets and full information about our assembly service and rental of collection nets.

Just ask for a copy of our catalogue.

#### Industrial sector: Industrial Nets – for all applications

Lifting, tying, loading, covering, protecting, securing — a world of technology needs a world of nets. Few materials meet the diverse requirements of the industrial sector with the same variety or as economically as net.

Please order our specialist catalogue!



#### Leisure sector: Huck rope technology

We have extended our playground range again this year. Products in this range, including climbing nets, swings, net bridges, rope ladders, climbing ropes and net playgrounds, can be found in our catalogue "Huck Rope Technology".

Please order this specialist catalogue.



#### **HUCK NETS (U.K.) LTD.** • **Netting & Rope Factory**

Gore Cross Business Park, Corbin Way, Bradpole, Bridport, Dorset DT6 3UX England

Telephone (0 1308) 425 100, Fax (0 1308) 458 109

E-Mail: sports@hucknetting.co.uk

Internet: www.huck-net.co.uk

#### Index

Page	ltem	Page	Item	Page	Item
7.14	Adventure Climbing	8.4	Double Dutch Skipping Ropes	8.8	Prellball Band
5.1	Advertising Promotions on Tennis	10.7 -10.9	"Dralo" Stainless Steel Wire Netting	6.1 - 6.4	Product Info Safety Nets
	Indoor Court Surrounds	2.8	Field Hockey Goal Nets	5.5	Pull bars
9.15	All-weather net	8.8	Fistball Cord/Webbing	1.14 + 2.6	Reduction nets for goals
10.3 + 10.4	Amateur Football Goal Nets	5.8, 6.8, 6.10	Flame Resistant Netting	2.8	Roller Hockey Goal Nets
3.6 + 9.4	Antenna support pockets	2.8	Floorball	8.8	Ropes for sitball
10.1 - 10.9	Anti-Vandalism Nets	2.0 1.15 + 1.16	Football Accessories	0.0	nopes for situali
7.1	Anti-whip basketball net			6.5 - 6.6	Safety and stop net accessories
7.12	Archery Protection Nets	1.5	Football Goal Net optimised for Cameras.	7.4	Sandpit Tarpaulin Cover
9.7 – 9.8	Padminton laisura assassarias	11 10	Football Goal Nets	3.5	Seated volleyball nets
	Badminton leisure accessories	1.1–1.8		1.15	Shooting Target Wall
4.2	Badminton net sets	1.14	Futsal Goal Nets	1.7 + 1.11	Small Mesh Football Goal Nets
4.1	Badminton tournament nets	5.4	Ground Anchors	9.5 + 9.7	Soccer Tennis Net
4.3	Badminton training nets	8.7	Gymnastic Laces	7.2	Spectator Safety Nets
1.15	Ball Carrier Nets	8.8	Gymnastics cords	6.5	Standard Stop Nets
7.11	Ball safety nets for golf courses/golf	8.2 - 8.4	Gymnastics ropes	9.15	Street & Fun Games Nets
10.7	ranges	75.70	,	9.15	Sun sail
10.7	Ball stop modular fencing system	7.5 + 7.8	Hammer throwing safety nets	8.2 + 8.4	Swing ropes
1.16 + 9.12	Ballast Chains for Football Goal Nets	2.1	Handball Goal Net optimised for		
2.6	Ballast Chains f. Handball Goal nets		Cameras.	5.4	Tennis Accessories
7.1	Baseball Safety Nets	2.1 - 2.6	Handball goal nets + two-colour	5.9	Tennis Court and Indoor Panelling
7.1 + 9.15	Basketball Nets		nets	5.9	Tennis Court Surrounds
8.5	Battle Rope	7.2	Ice Hockey Goal Nets	5.5	Tennis Drag Nets
9.6	Beach Badminton	7.3	Indiaca nets	5.1 – 5.3	Tennis Nets
9.11	Beach Handball	9.14	Indoor football stop nets	2.4	Tension cords for handball nets
9.1	Beach Combi Set	2.7	Indoor hockey goal nets	4.3	Tensioners for badminton
9.12	Beach Soccer	8.1	Isilink Lines	3.6	Tensioners for volleyball
9.9 + 9.10	Beach Tennis			8.5	"Tug of War" Rope
9.1 + 9.2	Beach Volleyball Nets	8.2 -8.4	Jump Ropes	1.5, 1.6–1.8, 1.9	Two Coloured Football Goal Nets in
8.4	"Beaded" Jump Ropes	7.9	Lacrosse Ball Stop Net		Club Colours
1.16	Cable Binder for Tensioning	8.7	Lunge Reins	1.1	Ultra Cross Goal Nets
4.3	Catch nets for badminton	0.7	-		
2.6	Catch Nets for Handball Goal Nets	10.1 - 10.3	"Mahulan Steel"	1.16	Velcro for Goal Net Fixing
7.12	Catch Nets for Squash Courts	1.12 - 1.13	Mini Goal Nets	3.5 + 9.3	Volleyball Antennae
6.7	Ceiling Protection Nets	1.14 + 2.6	Mini Goals	3.3	Volleyball Goal Nets
9.8	Children's Lawn Tennis Nets	9.13 + 9.14	Mini Playing Field (Nets for)	3.6	Volleyball Net Hoops
5.6 + 9.10	Children's Tennis Nets	9.13 - 9.14	Multi-Sports Facilities (Nets for)	3.6 + 9.3	Volleyball Net Pocket
8.5	Circular Rope	8.4	"Neon Ropes"	10.5	Volleyball Nets, Anti-Vandalism
8.6	Climbing Ropes	10.1 – 10.9	Nets with stainless steel wire strand	3.1 - 3.3	Volleyball Tournament Nets
6.7	Cover Net	10.1 – 10.9		3.1 - 3.2	Volleyball Tournament Nets after
7.9			core		quality check l
	Cricket Safety and Stop Nets	9.8	Paddle Tennis Nets	3.2	Volleyball Tournament Nets after
7.3	Cycle Ball/Cycle Polo Goal Nets	6.8	Partition Curtains for Gymnasiums		quality check II
7.3	Deck Tennis Nets	5.7 + 5.8	Partition Nets	3.4	Volleyball Training Nets
7.5 - 7.7	Discus Safety Nets	8.8	Pendulum Ball Cables	7.3	Water Polo Goal Nets

#### **Head Office Germany:**

Manfred Huck GmbH, Asslarer Weg 13–15 · D - 35614 Aßlar-Berghausen-Germany · Tel. + 49 64 43 630 · Fax + 49 64 43 6330

#### International Huck-Branches & Joint Sales Offices:

**Benelux: Huck N.V.,** Atlasstraat 2 · B - 8680 Koekelare-Belgium · Tel. + 32 5158 23 20 · Fax + 32 5158 20 55 **Netherlands: Huck Torimex BV,** Kalkbranderstraat 5 · NL - 2222 BH Katwijk ZH-Netherlands · Tel. + 31 71 409 77 00 · Fax + 31 71 409 77 01 **Austria: Berger GmbH,** Industriestraße 9 · A - 2000 Stockerau-Austria · Tel. + 43 22 66 6 21 26-0 · Fax + 43 22 66 6 21 26-27 **France: Huck Occitania S.A.,** Les Clauzolles · F - 81 470 Maurens Scopont-France · Tel. + 33 563 82 51 31 · Fax + 33 563 82 51 36 **Czech Republic: Berger-Huck s.r.o.,** Vanišova 552 · CZ - 533 74 Horní Jelení-Czech Republic · Tel. + 420 466 67 33 06 · Fax + 420 466 67 33 05 **Poland: Huck Polska Sp.z o.o.,** ul. Macieja Przybyly 1 · PL - 54-512 Wrocław-Poland · Tel. + 48 71 32 57 540 · Fax + 48 71 32 57 547

You can rely on









FSB 2019:

Tuesday, 5th of November to Friday, 11th of November in Cologne

International Trade Fair for leisure, sports and swimming facilities

**Huck Nets (U.K.) Ltd.**Gore Cross Business Park
Corbin Way, Bradpole,
Bridport • Dorset, DT6 3UX

Tel. (01308) 425 100 Fax (01308) 458 109

E-Mail sports@hucknetting.co.uk Web www.huck-net.co.uk



Go online with HUCK:

www.huck-net.co.uk